

BACKSTROKE FLAGS & POSTS

BACKSTROKE FLAGS



COMPETITOR BACKSTROKE FLAGS

- · Oxford nylon material
- · Variety of colors available
- · Custom logos available
- Meets all World Aquatics, NCAA, USA, and NFHS regulations
- Available in two sizes: 11" x 14.5" or 12" x 18"
- Easy mounting options





KIEFER BACKSTROKE FLAGS

- · Nylon or vinyl material
- · Variety of colors available
- · Custom logos available
- Meets all World Aquatics, NCAA, USA, and NFHS regulations
- · No hardware or assembly required



4' 6" STANCHIONS

BACKSTROKE/RECALL POSTS

Designed to support backstroke lines, finish lines, recall lines, volleyball nets and splash curtains. Flags not included.

- 2" top ring for connection to backstroke flags or recall ropes
- · Optional sliding collar available
- · Anchors not included
- Round or square posts available in heights of 4'6" or 8'

8' STANCHIONS


RECALL STANCHION - 1.90 X .145 304L (P/N 23624) STANCHION - 1.90 X .145 316L (P/N 134034-54-.145) 1.90" O.D. SLIDING RING (P/N 23625) BACKSTROKE STANCHION - 1.90 X .145 304L (P/N 23614) STANCHION - 1.90 X .145 316L (P/N 134034-96-.145) STANCHION - SQUARE 304L - 2.5" X .180" WALL (P/N 2010525) STANCHION - SQUARE 316L - 2.5" X .180 WALL (P/N 2010979) 1.90" O.D. SLIDING RING (P/N 23625) 2.50" SQUARE SLIDING COLLAR (P/N 2010527)

TAGLINE STANCHION POSTS TO SPAN 50M+

STANCHION - TAGLINE - $1.90\ X$.145 304L (P/N 2010526) INCLUDES PULLEY STANCHION - TAGLINE - $1.90\ X$.145 316L (P/N 2010607) INCLUDES PULLEY & WINCH PLATE

DIVE STANDS

CHEYENNE DIVE STANDS





CHEYENNE DIVE STANDS

The Cheyenne meets all competitive diving regulations and is designed for use with in-ground swimming pools. Fabricated from 304L stainless steel with an exclusive passivation process to ensure maximum corrosion resistance. Ladders are included. Custom fabrication is available for any application. * 3M Photo shown with optional stair case.

- Conforms to NSPI standards for diving portions of Class B and C swimming pools
- Rear or side access available; customize with staircase
- Accepts all manufactured diving boards in lengths of 10' to 16'
- 26" sloping treads with integral non-slip surface and UV inhibitors
- All main support columns are flanged for ease of installation
- Foot adjustable fulcrum and hinged diving board assembly included
 - **22121 1M CHEYENNE DIVE STAND (REAR ACCESS)**
 - **22123 1M CHEYENNE DIVE STAND (SIDE ACCESS)**

 - 22140 ANCHOR KIT (REAR ACCESS)
 22160 ANCHOR KIT (SIDE ACCESS)
 - **22131 3M CHEYENNE DIVE STAND (REAR ACCESS)**
 - 22133 3M CHEYENNE DIVE STAND (SIDE ACCESS)
 - 22150 ANCHOR KIT (REAR ACCESS)
 - 22170 ANCHOR KIT (SIDE ACCESS)



DIVE STANDS





DURAFIRM 1M STAND

This 1M Durafirm stand is supplied with top and intermediate handrails on both sides.

22030 - DURAFIRM 1M STAND (RAILS BOTH SIDES) 22020 - DURAFIRM 1M ANCHOR SET (SET OF 8)

DURAFIRM 3M STAND

The 3M diving stand consists of heavy aluminum castings with roller and tracks that are anodized, heat-treated, extruded aluminum.

22010 - DURAFIRM 3M DURAFIRM STAND (RAILS BOTH SIDES)

22020 - DURAFIRM 3M ANCHOR (SET OF 8)

DURAFIRM SHORT STAND

Designed for use on concrete pedestals or platforms.


22060 - DURAFIRM SHORT STAND (RAILS BOTH SIDES)

22090 - DURAFIRM SHORT STAND (NO RAILS) 22100 - DECK ANCHORS (SET OF 6)

1/2, 3/4, 1M SHORT STAND - FIXED FULCRUM

47061 - 1/2, 3/4, 1M SHORT DIVE STAND (REAR ACCESS) 47061 - 1/2, 3/4, 1M SHORT DIVE STAND (SIDE ACCESS)

19177 - SHALLOW ANCHOR FOR DIVE STAND



DIVING BOARDS



RECREATIONAL ALUMINUM DIVING BOARDS

Proven I-beam extrusions are epoxy glued with welded end construction. The non-slip surface resists wear. Each board comes with mounting hardware.


22400 - 10' ALUMINUM BOARD 22410 - 12' ALUMINUM BOARD 22420 - 14' ALUMINUM BOARD 22430 - 16' ALUMINUM BOARD



COMMERCIAL FIBERGLASS DIVING BOARDS

This heavy-duty, commercial diving board features a solid horizontally laminated wood core completely encased in fiberglass. Each board has a slip-resistant top tread and is tapered for superior performance. Stainless steel hardware kit included. Contact us for current product offering.

DURAFLEX® DIVING BOARDS



High-quality springboard diving equipment is the standard in the diving industry. Duraflex® boards are made of single piece ribbed extruded aluminum alloy with a top surface coated in aqua-colored, thermal-curing epoxy resin. The board is finished with a laminate of flint silica and alumina, between coats of epoxy to provide a slip-resistant surface.

- Heat treated for superior yield strength of 50,000 psi
- Slip-resistant surface

DURAFLEX® ALUMINUM BOARD

This board is ideal for recreational diving in commercial pools.

22210 - 14' DURAFLEX® 22220 - 16' DURAFLEX®



MAXIFLEX "B" BOARDS

This board is seen in most major competitive diving events in the world. The Maxi-B is slightly lighter in weight and is said to give a quicker action in the hurdle step. The double-tapered design allows the whole board to arc while flexing, giving it approximately 15% more lift than the standard Duraflex®.

- Used in most major diving competitions in the world
- Lighter weight
- Provides quicker action in hurdle step
- Double-taper design offers superior lift

22240 - 16' MAXIFLEX B

*PLEASE NOTE: All pools must meet minimum standards for installation.



RACING LANE LINES

Designed to deflect wave motions downward through hydrodynamic propulsion for wake-free competitive swimming. Durable, injection-molded polyethylene discs with built-in UV and chemical resistors. Ships assembled and complete with an "S" hook on one end and a Supertensioner on the other. All hardware is made of stainless steel and plastic. Water polo boundary and goal tethers available.





ANTIWAVE® FORERUNNER LANE LINE



ANTIWAVE®

4.75" FORERUNNER LANE LINES:	6" MAXIMUM LANE LINES: 58850 -
55810 - 60 FT LINE 55815 - 75 FT LINE	60 FT LINE 55855 - 75 FT LINE 55860 -
55820 - 25M LINE 55825 - 50M LINE	25M LINE 55865 - 50M LINE 55870 -
55830 - 50M LINE WITH 1	50M LINE WITH 1 DISCONNECT 55875
DISCONNECT 55835 - 50M LINE WITH	- 50M LINE WITH 2 DISCONNECTS
2 DISCONNECTS 55840 - CUSTOM	55880 - CUSTOM LENGTH BY FOOT
LENGTH BY FOOT	55845 - SUPERTENSIONER BY FOOT

Patented flow-through design controls water turbulence by allowing wave energy to be dispersed along the length of the lane. Consists of a series of polyethylene disks and donuts that rotate independently, allowing wave energy to be absorbed and dispersed within the channel of the lane, optimizing conditions for training and competition. Ships fully assembled.



Vegas Gold	Green	Sky Blue	Blue	Navy
871C	340C	542C	3005U	648C
Purple	Gray	White	Black	Red
Violet U	424C		Black C	186C
Burgundy 76430	Orange	Yellow 108C	Maroon 7622C	

COMPETITOR

4"COMPETITOR LANE LINES:	6" GOLD MEDAL LANE LINES:	
55020 - 60' LANE	55220 - 60' LANE	
55040 - 75' LANE	55240 - 75' LANE	
55060 - 25M LANE	55260 - 25M LANE	
55080 - 50M LANE	55280 - 50M LANE	
55100 - 25M DISC TO 1-75' LANE	55300 - 50M TO 1-75' LANE	
55120 - 50M DISC TO 2-75' LANES	55320 - 50M TO 2-75' LANE	
55140 - 50M DISC TO 1-75' LANE	55360 - 50M DISC TO 1-75' LANE AND 1-25M	
55160 -50M DISC TO 1-75' LANE AND 1-25M LANE	55290 - 6" CUSTOM LANE LINES (PER FOOT)	
55170 -4" CUSTOM LANE LINES (PER FOOT)	
55180 - HARDWARE KIT FOR CUSTOM LINES		



173419 - EXTENSION HOOK *Variety of lengths available

LANE LINE STORAGE



SHERIDAN LANE LINE STORAGE REEL

Unique stainless steel construction with locking casters.

- 304L stainless steel construction
- Passivated for maximum corrosion resistance
- Capacity: 720' of 4" line or 400' of 6" line
- 4" caster wheels with locking brakes
- 6' 5" 7/8" (L) x 5' 5/64" (W) x 5' 6 11/16"(H)

55525 - SHERIDAN STORAGE REEL 55552 - SHERIDAN REEL COVER

COMPETITOR LANE LINE STORAGE REELS



ELITE STOR-LANE REEL

High capacity lane line reel.

- · Powder-coated aluminum frame and end-wheels
- 6-inch stainless steel casters with individual brakes
- Capacity: 902' for 4" lanes and 492' for 6" lanes 83" x 60" x 71"
- · Cover available



CLASSIC PLUS STOR-LANE REEL

- Powder-coated aluminum frame and end-wheels
- 5-inch stainless steel casters with individual brakes
- Capacity: 525' for 4" lanes and 300' for 6" lanes 70" x 46" x 58 $\,$
- Cover available



CLASSIC STOR-LANE REEL

- Powder-coated aluminum frame and molded end-wheels
- 5-inch polymer and rubber wheels with individual brakes
- Capacity: 525' for 4" lanes and 300' for 6" lanes 70" x 46" x 58
- Cover available

LANE LINE STORAGE

ANTIWAVE® LANE LINE STORAGE REELS



ULTIMATE STORAGE REEL


- · Powder-coated white aluminum frame All four wheels independently lock and rotate
- Forerunner 4.75" lane capacity: (9) 60' lanes, or (8) 75' lanes, or (7) 25M lanes, or (3) 50M
- lanes total of 492 linear feet up to 540 linear feet
- 6" lane capacity: (6) 60' lanes, or (5) 75' lanes, or (4) 25M lanes, or (2) 50M lanes total of 328 linear feet up to 360 linear feet
- 72" x 90" x 48"
- · Cover available



SWIM LANE CADDY

- Provides safe and quick removal and installation
- · Hooks over the pool edge to enable easy removal of lanes
- Fiberglass construction Capacity of one AntiWave® lane at a time

LANE LINE TRAPS




IN-DECK STORAGE

The in-deck Lane Line Traps clear deck space by providing lane line storage below deck.

- · Easy to use
- Fixed rollers allow the lane line to slide in easy
- Nylon basket below deck catches and stores the lane line
- Nylon basket is collapsible and can be compressed up and out of the way
- Measures 36" x 45" when fully extended and hangs 14" below deck

1810494 - LANE LINE TRAP - HATCH 1910445 - LANE LINE TRAP - RING & BASKET ASSEMBLY



STRENGTH. EXPERIENCE. FORM.

Built with the same precision and performance that define the best athletes, because greatness starts at the block!

Spectrum Aquatics ® offers both single and dual post starting platforms, which include incredible non-slip tops and steps. Our stainless steel block tops are coated with a grit overlay providing a level of traction not available in competing products.


Our plastic tops are made of low-density polyethylene and contain a non-slip surface that surpasses industry standards. Plastic tops are a great choice for facilities that remove and store the platforms frequently - durable and able to withstand harsh pool environments - resisting discoloration, fading, and cracking.

- Unlimited color and logo options available on XCELLERATOR®, Record Breaker and Fusion Starting Platforms
- · All starting platforms can be customized to fit virtually any existing anchor
- Powder Coating available in any color and a variety of finishes
- Electropolished and SPECTRA-SHIELD® coated stainless steel provides high-quality finish that resists corrosion
- · Easy to install and remove
- 18" wide competition-width H Style backstroke bar or 18" U-bar on dual post models
- Front hand and toe grips for faster takeoffs
- Easy-to-read lane numbers visible from all four sides
- Anchors and covers sold separately
- · Our starting platforms comply with World Aquatics, USA Swimming, NCAA and NFHS regulations (excluding the Quicksilver)

STARTING PLATFORM CUSTOMIZATION

ANCHORS AND BASES

To best suit your needs, we offer a wide variety of custom anchors and bases to fit into any existing anchors or unique pool gutter configurations.





POWDER COATING AND CUSTOM LOGOS

Custom powder coating is available for all Spectrum starting platforms. Custom logos available for XCELLERATOR®, Record Breaker, and Fusion Starting Platforms.



STARTING PLATFORM TOP

Sprint with Rapid Lock®

Sprint with Rapid Lock™, the ultimate lightweight starting block top that revolutionizes performance. Our advanced wedge locking mechanism delivers an unparalleled and secure method for adjusting the foot wedge, ensuring that you are firmly locked in for powerful starts.





"The sprint rapid lock is a game changer in competitive swimming. The wedge is easy to adjust and lock into place, and with the block's grip, size, and texture combined with its new rapid lock system, it's hard to beat."

Endorsed by Gold Medal Olympian, Katharin Berkoff









STARTING PLATFORM TOP

Sprint with Rapid Lock®



- Compatible with all Spectrum Aquatics starting blocks and a direct match to the Xcellerator® and Record Breaker.
- The lightweight design ensures the Sprint is easy to install and transport.
- Rapid Lock™ features a user-friendly large paddle lever, facilitating quick and easy foot wedge adjustments.
- Designed to be free of cables and pins!
- Unlock your creativity with our customizations. Enjoy powder coating options and personalization with logo/artwork on block top, wedge, and step.
- Featuring a grit overlay that offers exceptional traction without causing discomfort to the athlete's feet or hands.
- Complies with World Aquatics, USA Swimming, NCAA and NFHS regulations.

Designed to revolutionize competitive swimming while retaining the classic features Spectrum Aquatic Starting Blocks are celebrated for.

- · Remarkably lightweight
- Exceptionally easy to use
- Effortless functionality
- Free from cables and pins
- Engineered for durability





Rapid Lock™ is an innovative design that allows for the adjustment of the foot wedge. This mechanism addresses a common failure point by featuring a faster and more convenient paddle-style handle, eliminating the need for cables and pins.

SINGLE POST STARTING PLATFORMS

XCELLERATOR®



XCELLERATOR® - SINGLE POST



XCELLERATOR® - SINGLE SQUARE POST

Applying the latest in approved technology, this starting platform gives swimmers an extra boost on starts by allowing the rear leg to start at a 90° angle and the swimmer's center of gravity to more forward when using the side rails.

- Large 24" x 32" stainless steel top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- · Easy-to-adjust track start footrest with 11 location setting options to accommodate all heights and levels of flexibility
- Uses single post anchor with patented anti-wobble design allowing for easy removal
- Side handles included to enhance speed and faster takeoffs
- · Backstroke handles with versatile 18" H-bar
- Suggested setback of 30" accommodates anchor setbacks of 18" to 36"
- Standard surface color is black or white, with custom colors, powder coat, and logo options available (logos can be placed on platform top, wedge and/or step)

57282 - XCELLERATOR® SINGLE POST

FUSION

- Built-in Colorado Time Systems® Relay Judging Platform (RJP) to calculate reaction time and relay exchanges
 - Speedlights across the front of the RJP and step-side flash simultaneously with starting system horn and strobe light
 - Lights provide an additional signal to athletes who are deaf or hard of hearing
 - Easy, out-of-the-way plug-ins for RJP touchpad, speedlights, lane speaker and back-up huttons
- Uses single post anchor with patented anti-wobble, design allowing for easy removal
- 24" x 32" non-slip surface platform top for extra-fast starts
- Includes practice top so the RJP can be stored away from the pool when not in use
- Side handles to enhance speed and faster takeoffs
- Backstroke handles with versatile 18" H-bar
- Suggested setback of 30" accommodates anchor setbacks of 18" to 36"
- Available in gray, with custom colors and logo options available



FUSION - SINGLE POST

57291 - FUSION SINGLE POST

SINGLE POST STARTING PLATFORMS

RECORD BREAKER





RECORD BREAKER - SINGLE POST

RECORD BREAKER - SINGLE SQUARE POST

- Large 24" x 32" stainless steel top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Easily upgradeable to XCELLERATOR® with addition of side handles & track start footrest
- Uses single post anchor with patented anti-wobble design allowing for easy removal
- Non-slip access step, available on side or rear
- Large side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" H-bar
- Standard surface color is black or white, with custom colors, powder coat, and logo options available

57283 - RECORD BREAKER - SINGLE POST



GROWLER

The Growler is great for all levels of competition and features the largest top in the industry.

- Large 25" x 32" single piece LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" access step with molded-in, non-slip surface. Available on side or rear
- Accommodates anchor setbacks of 18" to 36"
- Side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" H-bar

21653 - GROWLER - SIDE STEP 21657 - GROWLER - REAR STEP

SINGLE POST STARTING PLATFORMS

GRIZZLY

Another one of Spectrum's popular starting platforms. Great for all levels of competition.

- 23" x 25" single piece LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" LDPE side or rear access step with molded-in, non-slip surface
- Accommodates anchor setbacks of 18" to 30"
- Side step accommodates anchor setbacks of 18" to 30"
- Rear step accommodates anchor setbacks of 24" to 30"
- Backstroke handles with versatile 18" H-bar

21654 - GRIZZLY - SIDE STEP 21655 - GRIZZLY - REAR STEP



QUICKSILVER

Ideal for beginners and pools with large water drafts.

- 23" x 25" LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- Horizontal backstroke bar
- Stainless steel construction
- Suggested setback of 20" accommodates setbacks of 12" to 24"
- Does NOT meet World Aquatics, USA Swimming, NCAA or NFHS regulations

57289 - QUICKSILVER SINGLE POST



Available in five colors:

LDPE Standard Top Colors









WHITE




TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT: WWW.SPECTRUMPRODUCTS.COM



EXPANSION POST ANCHORING SYSTEM

Our patented Expansion Post Anchor fits most existing starting platform pre-drilled post holes, providing an easy and quick solution to updating your swim starting blocks without the hassle of construction. The Expansion Post Anchor utilizes an innovative internal expansion wedge positioned within the starting block post, ensuring equal pressure is applied to every side of the block post for maximum stability.

Spectrum Dual Post Round and Single Post Square Starting Platforms are available with the Expansion Post Anchor.



DUAL POST STARTING PLATFORMS





BIGHORN

- 23" x 25" non-slip surface with no exposed bolts or hardware
- 20" molded-in, non-slip surface step tread
- Standard Bighorn accommodates anchor setbacks of 20" to 30"
- Long Reach model accommodates an anchor setback up to 40"
- Backstroke handle with versatile 18" U-bar

21095 - BIGHORN

21115 - LONG REACH BIGHORN



COUGAR

- 25" x 32" non-slip surface with no exposed bolts or hardware
- 8" x 10" access step with molded-in, non-slip surface available in side or rear
- Side step accommodates anchor setbacks of 18" to 40"
- Rear step accommodates anchor setbacks of 30" to 40"
- Backstroke handle with versatile 18" U-bar

21135 - COUGAR - SIDE STEP 21145 - COUGAR - REAR STEP



XCELLERATOR®

- Large 24" x 32" stainless steel non-slip top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Adjustable track start footrest attachment with 11 locations setting options
- Side handles and 18" backstroke U-Bar included to enhance speed and guick takeoffs
- Non-slip side access step available
- Suggested setback of 30" accommodates anchor setbacks of 18" to 36"
- Comes standard black or white top, custom colors and logo options available

133171 - XCELLERATOR® DUAL POST

RECORD BREAKER

- Large 24" x 32" stainless steel non-slip top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Easily upgradeable to XCELLERATOR® with addition of side handles & track start footrest
- Non-slip access step, available on side or rear
- Side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" U-bar
- Comes standard black or white top, custom colors and logo options available

57741 - RECORD BREAKER DUAL POST

STARTING PLATFORM ANCHORS AND TREADS

SINGLE POST ANCHOR

This unique, patented anti-wobble and locator pin design is superior to all other single-set type anchors. There is no equal.



- No tools required when inserting or removing starting platform
- Machined bronze anchor body ensures extremely tight tolerances & offers superior corrosion resistance
- Locating slot design eliminates rotation and guarantees proper alignment of platform
- Includes stainless steel lid and removal tool
- · Optional anchor set tool available
- Bulkhead customization available

21705 - ANCHOR SET TOOL

21700 - SINGLE POST ANCHOR

42057 - BULKHEAD ANCHOR

DUAL POST ANCHOR

Designed for use with dual post starting platforms. Fabricated of 304L stainless steel. Welded fixture design allows for easy installation. Anchors are set exactly 20" center to center for ease of platform installation and removal. Anchors provided with bonding lug, caps and removal key.



24070 - 6" DEEP DUAL POST ANCHOR SET 24071 - 10" DEEP DUAL POST ANCHOR SET


STARTING PLATFORM TREADS



BACKSTROKE START DEVICES

Backstroke swimmers routinely risk a slip start when pushing off a pool wall or slippery touchpad. Our backstroke start devices are designed to reduce slipping, and are available in two different models: automatic retraction, and stationary.

AUTOMATIC RETRACTION 143081




- U.S. Patent No. 10,245,524
- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Easily adjustable and locks into place, allowing swimmers to select desired location of the nonslip wedge along the pool wall
- Automatically retracts up and out of the water so as not to interfere with flip turns and touchpad interactions, eliminating the need for manual removal
- Compatible with nearly all block types and pool configurations it can be strapped around a starting platform for easy set up
- Custom attachment options are also available
- Our sales team can help determine the best mounting option for your pool

HOW IT WORKS:



1. Unlock and pull wedge strip to desired location



2. Place feet on nonslip wedge




3. Proceed with your backstroke start



Wedge automatically retracts out of the water

STATIONARY BACKSTROKE START WEDGE



The Stationary Backstroke Start Wedge allows swimmers to perfect their backstroke takeoffs at their local pool.

- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Same non-slip wedge and straps as our top-of-the-line
- Backstroke Start Device Can easily attach to nearly any existing starting block frame
- Includes stainless steel hardware to resist corrosion
- World Aquatics, USA Swimming and NCAA compliant, when installed correctly

If you are a highly competitive swimming club or university looking for a way to perfect backstroke starts with a wedge for the upcoming championship meets, the Stationary Backstroke Start Wedge is a must!

STARTING PLATFORM MAINTENANCE

COVERS

Starting Platform covers protect your investment by preventing unauthorized use of the platforms and shielding the platform surface from the elements when they are not use.

153174 - STARTING PLATFORM HARD COVER - WHITE

- Sturdy precision vacuum formed ABS plastic
- Includes elastic retaining strap and optional cable lock
- Universal fit covers all platforms up to 25" x 32" in size, with and without wedges
- UV protection
- Durable textured surface
- Easy stack = Easy storage







26315 - STARTING PLATFORM SOFT COVER

- UV rated polyethylene material with draw cord
- Universal fit covers all platforms up to 25" x 32" in size



MAINTENANCE

Cleaning your starting platforms on a regular basis is an essential part of ensuring longevity and minimizing rust formation on your starting platforms. Regimented cleanings will also reduce incidents of stains and discoloration on the block surface. The frequency in which platforms should be cleaned depends upon how harsh the environment is in your pool facility. Starting platforms can also look new again with our resurfacing for non-slip surfaces and powder coating. Contact us to learn more about this option.

UPGRADES

Many of our starting platforms can be upgraded to add the trackstart wedge and/or side rails to help your athletes start with confidence.

WATER POLO GOALS

GLOBAL ANTI GOAL

The Global Anti Goal by AntiWave is suitable for World Aquatics or equivalent level water polo events, as well as all levels of club competition and training facilities. This water polo goal blends cutting edge materials and production with innovative design, resulting in a lightweight, heavy duty, full-sized goal that meets the needs of all clubs and facilities.





Features:

- Custom marine grade powder-coated aluminum extrusions with HD Marine Nylon & SS316 fittings.
- Foldable design for compact and safe poolside storage
- Thick external carry handles for safe transport
- Long-life HD polypropylene cord net, knotted at every intersection ensures long lifetime under hard use
- Easy to install Marine Nylon net clips ensure a solid connection between net and goal, as well as simple installation
- Custom 2-piece aluminum front frame cross section for maximum strength and lightest weight
- Includes lane anchor attachment points at the 750mm and 1080mm distances per pre- and post-2015 World Aquatics regulations
- Lightweight, heavy duty design and construction for years of reliable service
- Safe and easy 2-person pool deck movement

- Marine Nylon pool edge bumpers on rear of frame prevent chipping of pool tiles and gutters when installing and removing from the pool
- Durable oversized HD PE flotation elements rest on the pool concourse, ensuring no damage to pool edge and tiles, or scraping of the goal body during installation or removal
- Open corner net configuration reduces ball rebound
- HD polymer bows allow quick disconnect from top frame to rear of the goal when the goal is folded



WATER POLO GOALS



DAWSON WATER POLO GOAL

Adjustable deck mounted water polo goals meets World Aquatics, NCAA, NFSHSA and USA Water Polo regulations for both deep & shallow settings.

- Easy to install, remove and store with hinged mounting legs which fold flat for storage
- Protective rubber bumpers included
- 304L stainless steel 316L available upon request
- Accommodates 7", 30" or 36" setback custom setbacks available
- Cage supplied with UHMW fascia and reinforced black HTPP backdrop

84299 - DAWSON WATER POLO GOAL CAGE AND NET

84298 - REAR LEG SET FOR 7" SETBACK

84297 - REAR LEG SET FOR 30" SETBACK

84294 - REAR LEG SET FOR 36" SETBACK

23638 - 6" BRONZE ANCHOR (2 REQUIRED PER GOAL)



ODYSSEY POLO GOAL

The Odyssey floating goal has been used in pools around the world since its introduction at the 2000 Sydney Olympics.

- Made of durable white powder-coated aluminum or stainless steel
- Three heavy-duty, hand-laid fiberglass flotation panels are located on each side and in back to provide necessary buoyancy
- Net is made of tough polypropylene cord, knotted at every intersection
- Easy assembly by two people in one hour
- Conforms to all national and international specifications
- Dimensions: 152" W x 56" D x 42" H

84230 - ODYSSEY POLO GOAL



FLOATING POLO GOAL

Polo goals are ideal for competitive water polo at the regional or local level.

42613 - UNIVERSAL GOAL 42614 - SPLASHBALL GOAL 57436 - FLIP FLOAT GOAL

Note: Product descriptions may vary ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission Duraflex is a registered trademark of Duraflex International Corp., used with its permission Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



Building communities through play

THE PLAYCORE AQUATICS GROUP

The PlayCore Aquatics Group is the ultimate resource for creating all of your aquatic experiences. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities for your facility including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After the completion of your installation, we provide ongoing support for the lifetime of your product to ensure that you get the most out of your recreational, commercial, municipal, or competitive facility.



fountain people

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



7100 Spectrum Lane Missoula, MT 59808 800.624.1235 spectrumproducts.com



7100 Spectrum Lane Missoula, MT 59808 800.624.1235 altapoolcovers.com



4600 Hwy 123 San Marcos, TX 78666 512.392.1155 waterodyssey.com



A PLAYCORE Company

10601 Oak St NE St. Petersburg, FL 33716 888.426.8511 aquaworxusa.com



1551 East 11th Street Loveland, CO 80537 800.279.0111 coloradotime.com



7100 SPECTRUM LANE – MISSOULA MT. – 59808 800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM