

SPECTRUM **AQUATICS®**

A PLAYCORE Company



Spectrum Aquatics Commercial Pool Lifts

POOL LIFTS & ASSISTED ACCESS

Enabling equal access to aquatic facilities has always been a goal of Spectrum Aquatics®. We were proud to release our first aquatic lift in 1974 and after decades of refinement and technological advancement, we now offer over 20 different pool lift options. Choose between manually-powered, battery-powered and water-powered lifts – all with proprietary, robust operating systems. Our lifts offer ease of transfer while maintaining an open deck area. Spectrum Aquatics' lifts deliver optimal performance and withstand harsh aquatic environments — indoors and out.

ADA Compliance Overview

In 2010, the Federal Government approved into law the 2010 ADA Standards, requiring all commercial pools and spas to have an ADA-approved means of access by March 15, 2012. Compliance was later extended until January 31, 2013 and requires pools to install a ramp or a pool lift. A lift from Spectrum Aquatics® can help you easily achieve compliance.

WHAT MAKES A POOL LIFT COMPLIANT?

Required Lift Features:




- 300 lbs minimum weight capacity Capable of unassisted operation from deck and water
- Solid seat at least 16" wide
- Armrests are optional (*except in California*), but if included must be removable or fold clear of the seat
- Footrest (*not required with lifts used in spas*)
- Capable of lowering the seat to a minimum depth of 18" below the stationary water level

Lift Location Specifications:

- Located in less than 48" of water (unless entire pool depth is greater than 48") Seat centerline location must be a minimum of 16" from the edge of the pool in raised position
- Open deck space minimum of 36" wide that extends forward a minimum of 48" from a line located 12" behind the rear of the seat located on opposite side of the seat from the water
- Must be level, with a slope no greater than 1:48 (2%) in all directions

Lift Operation Specifications:

- Seat Height - Lift should allow for a stop between 16" and 19" above the top of the deck when in the raised position.
- The controls and operating mechanisms should be unobstructed when the lift is in use.
- Operation of the lift should not require tight grasping, pinching or twisting of the wrists to operate.



NEW! ERGONOMIC POOL LIFT SEAT

Support You Can Rely On. Every Lift, Every Time.

The Ergonomic Pool Chair Lift Seat combines cutting-edge ergonomic design with enhanced safety features, providing individuals with mobility challenges a secure and comfortable pool experience. Featuring built-in handholds for extra support and draining channels for faster drying and improved hygiene, it ensures a worry-free, accessible solution for both private and commercial pools. Backed by ADA compliance, our lift seat enhances usability, safety, and durability, making it the perfect choice for everyone.

- **Ergonomic Comfort:** The ergonomic design ensures maximum comfort and reduces pressure points during use.
- **Safety First:** Integrated handholds provide extra support for easy and secure transfers.
- **Hygienic & Durable:** Draining channels prevent water pooling, reducing the risk of slipping and promoting faster drying.
- **ADA-Compliant:** Fully ADA-compliant, meeting industry standards for accessibility and safety.
- **Quality:** Made of rotomolded LDPE (low-density polyethylene) material that repels water, is resistant to pool chemicals, and is highly impact-resistant, and flexible, allowing it to withstand constant use, bending, and pressure without cracking or breaking.



"I like this lift seat very much. Many features of the design contribute to better ergonomics. With this lift, I can make the transfer to and from my wheelchair independently, and I appreciate that so much."

Lori M. of Missoula, MT

Standard on all battery powered pool lifts in 2025

[**www.spectrumproducts.com**](http://www.spectrumproducts.com)

BATTERY POWERED ADA POOL LIFTS

Engineered for simplicity, durability, and value, the Aqua Buddy® V2 remains the trusted, budget-friendly ADA-compliant lift for aquatic centers, hotels, and community pools everywhere. With durable stainless steel construction, quiet battery-powered operation, and features that prioritize comfort and accessibility, the newly redesigned Aqua Buddy is the only choice for your pool.

The Newly Redesigned Aqua Buddy® V2. Smarter. Stronger. Without Compromise.

- Now UL Listed, the Aqua Buddy® V2 meets rigorous national safety standards, giving facilities and users confidence in every lift.
- With an increased water draft, the Aqua Buddy adapts to a wider variety of pools, including those with deeper gutters or unique deck profiles.
- Thanks to field-reversible seat direction, it installs with unmatched flexibility, adapting on site to your deck layout without additional parts or modifications.
- The Ergonomic Seat enhances both comfort and hygiene with a contoured shape that provides superior lumbar and lateral support, encourages proper posture, and reduces pressure points during transfers.



AQUA Buddy® V2

- 350 lb weight capacity
- Ergonomic Seat comes standard
- Powder-coated white stainless steel construction
- Field reversible seat direction
- Spacious seat with excellent lumbar support designed for ease of transfer
- Accommodates setback of 9" - 23" from centerline of anchor, and a maximum water draft of 15"

Includes:

- 5-year structural warranty, 2-year electronics warranty
- 24 volt battery and charger
- Concrete anchor system
- Dual flip up armrests

P/N: 2460017



NEW!



Scan here to see all
the lifts on the Spectrum
webiste



800.791.8056

BATTERY POWERED ADA POOL LIFTS



HORIZON BP 450 & 450 DELUXE



- 450 lb weight capacity
- Quiet and stable operation
- Accommodates set back of 6" to 33" and water draft up to 12"
- Spacious seat offers excellent lumbar support and ease of transfer
- Powder coating available to match any pool setting

Includes:

- 5-year structural warranty,
- 2-year electronics warranty
- 24 volt battery and charger
- 2 wireless remote controls
- Padded headrest (Deluxe models)
- Adjustable footrest
- Seatbelt

P/Ns: 2010102 (BP 450) & 2010102-DLX (BP 450 Deluxe)



HORIZON LONG REACH BP 350 & BP 350 DELUXE



- 350 lb weight capacity
- Quiet and stable operation
- Accommodates set back of 6" to 40" and water draft up to 12"
- Spacious seat offers excellent lumbar support and ease of transfer

Includes:

- 5-year structural warranty, 2-year electronics warranty
- 24 volt battery and charger
- 2 wireless remote controls
- Padded headrest (Deluxe models)
- Adjustable footrest
- Seatbelt

P/Ns: 2030086 (BP 350) & 2030086-DLX (BP 350 Deluxe)

HORIZON ACCESSORIES

- Anchors sold separately
- Protective cover
- Spine board attachment & stability strap
- Transport cart



Anchor (23638)



Cover (54377)



Transport Cart (54523)



Spine Board Attachment for Traveler and Horizon (42323)

The Spine Board Attachment for the Traveler and Horizon ADA Pool Lift provides the ability to lower and raise a spine board into the pool using the mechanics of the pool lift and allows for emergency removal of a person while lying flat in the water.

Features:

- Straps can be used to secure the person for the lift
- Spine board attaches to the lift via a tool-less attachment piece, and measures 72 1/4" x 29"
- For use with the Traveler/Horizon only

BATTERY POWERED ADA POOL LIFTS



MOTION TREK® BP 350 & BP 350 DELUXE

- 350lb weight capacity
- Self-operable
- Accommodates setback of 6" to 28" and a water draft up to 13"
- Seatbelt (Deluxe models)
- Adjustable padded headrest (Deluxe models)
- Flip-up footrest with footboard (Deluxe models)

153121 - MOTION TREK® BP 350 WITH ANCHOR

163370 - MOTION TREK® BP 350 WITHOUT ANCHOR

153121-DLX - MOTION TREK® BP 350 DELUXE WITH ANCHOR

163370-DLX - MOTION TREK® BP 350 DELUXE WITHOUT ANCHOR



MOTION TREK® BP 400 & BP 400 DELUXE

- 400lb weight capacity
- Self-operable
- Accommodates setback of 6" to 28" and a water draft up to 13"
- Seatbelt
- Adjustable padded headrest (Deluxe models)
- Flip-up footrest with footboard (Deluxe models)

163145 - MOTION TREK® BP 400 WITH ANCHOR

163371 - MOTION TREK® BP 400 WITHOUT ANCHOR

163145-DLX - MOTION TREK® BP 400 DELUXE WITH ANCHOR

163371-DLX - MOTION TREK® BP 400 DELUXE WITHOUT ANCHOR



PORTABLE MOTION TREK® BP 300 & BP 300 DELUXE

- 300lb weight capacity
- Self-operable
- Spacious seat with excellent lumbar support designed for ease of transfer
- Quiet and stable operation
- Accommodates a variety of setbacks up to 19" and water draft up to 6"
- Lock down kit needed for ADA Compliance
- Seatbelt

165600 - PORTABLE MOTION TREK® BP 300

165600 - DLX - PORTABLE MOTION TREK® BP 300 DELUXE

42672 - LOCK DOWN KIT FOR ADA COMPLIANCE



800.791.8056

BATTERY POWERED ADA POOL LIFTS



TRAVELER BP 500

- Wireless handset
- 500lb weight capacity
- Self-operable
- Spacious seat with excellent lumbar support designed for ease of transfer
- Quiet and stable operation
- Accommodates setback of 6" to 33" and water draft up to 12"
- Available in electropolished 316L stainless steel



27610 - TRAVELER BP 500

140290 - TRAVELER BP 500 316L



LONG REACH TRAVELER BP 350

- Wireless handset
- 350lb weight capacity
- Self-operable
- Spacious seat with excellent lumbar support designed for ease of transfer
- Quiet and stable operation
- Accommodates setback of 6" to 40" and water draft up to 12"




54129 - LONG REACH TRAVELER BP 350

Long Reach Traveler BP 350 with the new Ergonomic Seat

"I love the new seat! The additional hand holds will allow for more options, thus more security, when making the transfers in and out of the chair."

**Jennifer Cullen, Aquatics Director
Eaton Area Recreation Center - Eaton, CO**



WATER POWERED ADA POOL LIFTS

Our water powered ADA pool lifts are built to last the test of time. We are pleased to offer an extensive selection of water powered lifts to help you in designing your pool for compliance and inclusion. Each of our lifts have been designed with the end users and pool and spa facility owners in mind. Water powered lifts eliminate the need to recharge batteries, and have very few parts that are subject to daily wear and tear. We look forward to helping you find the right lift for your facility each and every time.

Water powered ADA pool lifts feature:

- Stainless steel construction (electropolished 304L or 316L grade)
- Coated with Spectra Shield® for maximum corrosion protection
- Quiet and stable operation
- Weight capacities up to 600lbs



GALLATIN WP 400 POOL & SPA

- 400lb weight capacity at 55 PSI
- Self-operable from the deck and the water
- Electropolished stainless steel - 304L grade
- Spacious seat with excellent lumbar support; designed for ease of transfer
- Accommodates setback of 18" to 30" and water draft up to 12"
- Easy to install, even into existing concrete decks
- Pool & spa application
- Padded headrest
- Flip-up footrest



27336 - GALLATIN WP 400



LOLO WP 400

- 400lb weight capacity at 55 PSI
- Self-operable from the deck and the water
- Electropolished stainless steel - 304L grade
- Spacious seat with excellent lumbar support; designed for ease of transfer
- Accommodates setback of 18" to 30" and water draft up to 12"
- Easy to install, even into existing concrete decks
- Pool application only
- Padded headrest
- Flip-up footrest



27550 - LOLO WP 400

"Knowing that a facility offers a hydraulic, water powered chair lift gives me immediate peace of mind. The reliability of the lift means I know I won't be left stranded then trying to exit the pool."

William Botten, Senior Accessibility Specialist for the U.S. Access
Board Specializing in Recreational Facilities, Retired

800.791.8056

WATER POWERED ADA POOL LIFTS MANUAL POWERED POOL LIFTS



GLACIER WP 600

- 600lb weight capacity
- Electropolished stainless steel - 316L grade
- Wheelchair placement and removal



26400 - GLACIER WP 600



ELKHORN MP 400

- NON-ADA COMPLIANT
- 400lb weight capacity
- Only manual powered lift with supporting load calculations on the market
- Easy to operate
- Easy to install, even into existing concrete decks
- Single anchor point
- Hydraulic ram lifting mechanism
- Portable and lightweight, weighing less than 60lbs
- Economical
- Accommodates multiple setbacks, allowing for installation on pools/spas with large gutters and/or coping stones

28500 - ELKHORN MP 400

28510 - ELKHORN ANCHOR

FAQ Page

Have a question? Our FAQ page is a great place to start. Chances are, someone else has wondered the same thing, and we've got the answers ready for you!



Visit our
FAQ page, here



www.spectrumproducts.com

POOL LIFT ANCHORS



BRONZE ANCHOR

- Horizon and Traveler lifts anchor
- Lid and key included
- Designed for 1.90" O.D lifts
- Heavy duty bronze construction

23638 - HEAVY DUTY BRONZE ANCHOR



COMPOSITE ANCHOR

- Aspen, Elkhorn, Freedom, and Motion Trek® lifts anchor
- Lid and key included
- Stainless steel bonding screw provided
- 6" deep
- Fabricated of glass filled polypropylene

28510 - COMPOSITE ANCHOR



PRESET ANCHOR

- Gallatin & Lolo lifts anchor
- New construction applications
- Grounding lug and anchor lids included
- Stainless steel construction

27450 - PRESET ANCHOR



RETROFIT ANCHOR

- Swim-Lift, Gallatin, and Lolo retrofit anchor
- Used in existing installation applications
- Concrete expansion anchor
- Anchor cap included

27400 - RETROFIT ANCHOR



WOOD DECK ANCHOR

- Aspen, Elkhorn, Freedom, and Motion Trek® lifts - wood deck anchor

28515 - WOOD DECK ANCHOR

Custom anchors and adapters are available for all lifts with unique anchoring applications. Paver anchors are also available.

800.791.8056

LIFT PARTS & ACCESSORIES

Motion Trek® Family

153607 - Battery
153601 - Control Box
153605 - Charger Cradle
153604 - AC/DC Adapter
153600 - Actuator
153603 - Handset
28510 - Composite Anchor
28515 - Wood Deck Anchor
75521 - Surface Mount Anchor
47949 - Motion Trek Cover
29901 - Cart
1730060 - Spine Board Attachment

Horizon & Traveler Family

42932 - Wheelchair for Traveler
54377 - Cover
42323 - Spine Board for Traveler
54523 - Cart for Horizon & Traveler
140290 - LR Traveler Cover
Water Powered Family
27364 - Water Powered Cover
27028 - Spectra Force Booster System
20400 - Water Box
54372 - Attachment for Rim Flow Gutters

AQUA Buddy®

153607 - Battery
153601 - Control Box
153605 - Charger Cradle
153604 - AC/DC Adapter
1910223 - Cover

Miscellaneous

42644 - ADA Compliant Lift Available Sign
47906 - Spectra Clean™
132038 - Armrest (Freedom)
13297 - Head Rest Pad



Extend the life of your lift with the Lift Maintenance Kit

Includes:

- 32oz Spectra Shield - Stainless steel protectant to be applied after cleaning
- 22oz Spectra Clean System 1 - Citric based Stainless steel cleaner and passivation solution
- Disposable rags
- Scratch-less scrubbing pad
- 24V wired battery

152161-MT - Lift maintenance kit for Motion Trek® & AQUA Buddy® lifts

SCAN FOR MORE
INFORMATION ON
ANCHORS & ACCESSORIES



TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG,
PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT
THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT:
WWW.SPECTRUMPRODUCTS.COM

www.spectrumproducts.com

SPECTRUM LIFT REFERENCE QUICK GUIDE



| MODEL | PART # | LIFTING CAPACITY | POWER SOURCE | ADA? | SETBACK REQ. | WATER DRAFT MAX | # OF LIFTS PER BATTERY CHARGE | STRUCTURAL WARRANTY | WEIGHT |
|----------------------------------|-------------|------------------|--------------|------|--------------|-----------------|-------------------------------|---------------------|----------|
| AQUA Buddy® BP 350 | 1730116 | 350 lbs | Battery | Yes | 9" - 23" | 10" | 90+ | 5 years | 120 lbs |
| Elkhorn MP 400 | 28500 | 400 lbs | Manual | No | 12" - 24" | 12" | N/ | 5 years | 57 lbs |
| Gallatin WP 400 | 27336 | 400 lbs | Hydraulic | Yes | 18" - 30" | 12" | N/A | 5 years | 270 lbs |
| Glacier WP 600 | 26400 | 600 lbs | Hydraulic | N/A | N/A | N/A | N/A | 5 years | 860 lbs |
| Horizon BP 450 | 2010102 | 450 lbs | Battery | Yes | 6" - 33" | 12" | 90+ | 5 years | 250 lbs |
| Horizon BP 450 DLX | 2010102-DLX | 450 lbs | Battery | Yes | 6" - 33" | 12" | 90+ | 5 years | 260 lbs |
| Horizon Long Reach BP 350 | 2030086 | 350 lbs | Battery | Yes | 6" - 40" | 12" | 90+ | 5 years | 200 lbs |
| Horizon Long Reach BP 350 DLX | 2030086-DLX | 350 lbs | Battery | Yes | 6" - 40" | 12" | 90+ | 5 years | 210 lbs |
| Lolo WP 400 | 27550 | 400 lbs | Hydraulic | Yes | 18" - 30" | 12" | N/A | 5 years | 270 lbs |
| Motion Trek® BP 350 | 153121 | 350 lbs | Battery | Yes | 6" - 28" | 13" | 90+ | 5 years | 110 lbs |
| Motion Trek® BP 350 DLX | 153121-DLX | 350 lbs | Battery | Yes | 6" - 28" | 13" | 90+ | 5 years | 115 lbs |
| Motion Trek® BP 400 | 163145 | 400 lbs | Battery | Yes | 6" - 28" | 13" | 90+ | 5 years | 110 lbs |
| Motion Trek® BP 400 DLX | 163145-DLX | 400 lbs | Battery | Yes | 6" - 28" | 13" | 90+ | 5 years | 115 lbs |
| Portable Motion Trek® BP 300 | 165600 | 300 lbs | Battery | Yes | 2" - 19" | 6" | 90+ | 5 years | 1240 lbs |
| Portable Motion Trek® BP 300 DLX | 165600-DLX | 300 lbs | Battery | Yes | 2" - 19" | 6" | 90+ | 5 years | 1240 lbs |
| Traveler BP 500 | 27610 | 500 lbs | Battery | Yes | 6" - 33" | 12" | 90+ | 5 years | 280 lbs |
| Traveler (Long Reach) BP 350 | 54129 | 350 lbs | Battery | Yes | 6" - 40" | 12" | 90+ | 5 years | 280 lbs |

At Spectrum Aquatics, we believe that aquatic facilities should be a place where everyone—regardless of age or ability—can experience the joy of water.

800.791.8056

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



Building **communities** through **play** & **recreation**™

THE PLAYCORE AQUATICS GROUP

The PlayCore Aquatics Group is the ultimate resource for creating all of your aquatic experiences. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities for your facility including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After the completion of your installation, we provide ongoing support for the lifetime of your product to ensure that you get the most out of your recreational, commercial, municipal, or competitive facility.



fountain people™

A **PLAYCORE** Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



A **PLAYCORE** Company

7100 Spectrum Lane
Missoula, MT 59808
800.791.8056
spectrumproducts.com



7100 Spectrum Lane
Missoula, MT 59808
800.624.1235
altapoolcovers.com



WATER ODYSSEY™

BY FOUNTAIN PEOPLE
A **PLAYCORE** Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
waterodyssey.com



A **PLAYCORE** Company

10601 Oak St NE
St. Petersburg, FL 33716
888.426.8511
aquaworxusa.com



A **PLAYCORE** Company

1551 East 11th Street
Loveland, CO 80537
800.279.0111
coloradotime.com

www.spectrumproducts.com

SPECTRUM AQUATICS® STANDARD TERMS & CONDITIONS OF SALE

Terms of Sale: Standard payment terms for customers that are registered businesses within the United States and Canada and meet the company's credit criteria are net 30 days from invoice date, unless otherwise agreed upon by Spectrum Aquatics®. If the customer fails to pay within payment terms, the company reserves the right to defer shipments until payment has been made and has the option to cancel all or any part of an unshipped order. A 1.5% per month finance charge may be imposed on all past due accounts. Customers within the United States or Canada, without a credit history, may purchase products and pay with check by mail or charge the purchase of products to a credit/debit card (Visa, MasterCard or American Express). Any checks or electronic debit authorization that are returned for any reason will be charged a \$30 non-sufficient fee.

To establish a credit account with Spectrum Aquatics®, the customer must be within the United States or Canada and must complete a credit application and thus, furnish such information as requested by Spectrum Aquatics®. Credit applications will not be accepted without a signature from an owner or appropriate company officer. Spectrum Aquatics® reserves the right in its absolute discretion to grant, refuse or discontinue any extensions of credit, or reduce or suspend any credit limit at any time.

Prices: Prices are F.O.B. factory and do not include freight charges. The possession of a price list or other pricing information does not constitute an offer or agreement to sell. Prices are subject to change without notice and are in US Dollars. Taxes, duties and other fees are the sole responsibility of the buyer. Prices shown do not include any federal, state, or local taxes and shall be billed as a separate item and paid by the Customer. Orders are accepted with the understanding that such taxes will be added, as required by law. Sales tax will be charged unless the customer has a valid sales tax resale or exemption certificate on file with Spectrum Aquatics®.

Price quotations for standard products are valid for 30-days. Price quotations for custom products and commercial projects are valid for 60-days. Price quotations for custom design or special items are subject to change predicated on the information provided by the sellers at the time of quotation, as opposed to the definitive information presented at the time of order entry, engineering or fabrication.

Customer Orders: Order placement requires a hard copy purchase order or signed copy of a quotation. If purchase order is verbal, with no hard copy (purchase order or signed quotation) confirmation, seller will not assume responsibility for errors related to, but not limited to, date of shipment, destination of shipment, items shipped or quantity of items shipped. Order must be shippable within 90-days of placement to hold original pricing. Purchase orders originating outside the United States and Canada require prepayment or an irrevocable letter of credit at time of order entry.

Order Cancellation: Orders for standard cataloged products, if canceled within 24 hours, will be assessed a \$200.00 cancellation fee. The seller must receive order cancellation in writing. Once, accepted, orders can only be canceled after 24 hours with the consent of Spectrum Aquatics® and on terms which will indemnify Spectrum Aquatics® against loss. Canceled orders after 24 hours will be subject to a restocking fee. Custom equipment is non-cancellable.

Freight Procedure & Claims: The transfer of ownership from Spectrum Aquatics® occurs once the load is signed over to the freight company (FOB factory). The customer is responsible for all freight related costs, even those that may have not been disclosed as necessary to obtain the product at the time the order is placed, these can include but are not limited to: lift gates, limited access location charges, and construction zone deliveries.

ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission

Duraflex is a registered trademark of Duraflex International Corp., used with its permission. Harmsco is a registered trademark of Harmsco, Inc., used with its permission. Sta-Rite is a registered trademark of Sta-Rite Pool, LLC, used with its permission. Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission.

800.791.8056



MADE IN USA

SPECTRUM
AQUATICS

A PLAYCORE Company

7100 SPECTRUM LANE – MISSOULA MT. – 59808

800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM