



Stainless Steel Rails and Ladders

ABOUT US

At Spectrum Aquatics, we have been dedicated to building your trust and providing reliable competition, recreation, accessibility, and pool deck equipment since 1972. Our team of hardworking and committed individuals takes great pride in crafting high-quality and custom products at our shop in Missoula, Montana. By combining our expertise and passion for innovation, we consistently strive to surpass your expectations and deliver exceptional solutions to meet your unique needs.

Choosing Spectrum Aquatics means you're embracing unparalleled professionalism, meticulous attention to detail, and exemplary customer service. It's our privilege to be recognized as your dependable ally in the aquatics industry.

Shane Clagett,
General Manager of Spectrum Aquatics



CONTACT US:

Parts and Warranty

Direct: (406) 532-6321

Email: service@spectrumproducts.com

Sales

Direct: (800) 791-8056

Email: info@spectrumproducts.com



Visit our Website
www.spectrumproducts.com

PHONE 800.791.8056 | FAX 800.791.8057 7100 SPECTRUM LANE, MISSOULA, MONTANA 59808

TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT: WWW.SPECTRUMPRODUCTS.COM



800.791.8056 | info@spectrumproducts.com
www.spectrumproducts.com



STAINLESS STEEL RAILS and LADDERS COMPLIANT. UNIQUE. AMERICAN-MADE

**100% American-made stainless steel rails and ladders,
because every pool deserves the best.**

Spectrum Aquatics' standard rails are offered in a wide range of lengths, shapes, wall thicknesses, and diameters to suit any facility need. Every rail and ladder is passivated in an eco-friendly citric acid solution, delivering a uniform, highly corrosion-resistant finish further enhanced with our exclusive SPECTRA-SHIELD® protection.

Designed with both durability and accessibility in mind, Spectrum's standard rails meet the 2010 ADA Standards for Accessible Design and provide users with the most secure and comfortable grip possible. Anchors and escutcheons sold separately.

- High-quality, 100% stainless steel rails are elegant
- Unique in design, durable, and easy to maintain
- Standard rails meet ADA requirements
- Endless customization options to suit your facility's needs
- 304L - Stainless Steel
- 316L - Marine Grade Stainless Steel
- Powder Coated – Available in all RAL colors & a variety of finishes
- Variety of outside diameters and wall thicknesses
- Square/rectangular tubing options available

**CHECK
IT OUT**
↓



TRANSFER RAILS

Stainless Steel Transfer Rails are custom-built to meet the unique needs of your facility. Available in U-Shape and H-Shape configurations, each rail is engineered with multiple options for length, height, wall thickness, and stainless steel grade. This flexibility ensures every transfer rail delivers the precise fit, strength, and durability required for safe, confident transfers in any aquatic environment.

Our Transfer Rails meet ADA compliance when installed with the proper spacing, as stipulated by the federal ADA Accessibility Law.


- Accommodate a setback anchoring of 18" from the pool wall
- Available in 1.50" and 1.90" O.D. material
- Sold as pairs
- Electropolished stainless[®] steel
- Coated in Spectra-Shield[®] for added corrosion protection



Flange Mounted Bent Rail




Flange Mounted Single Post Straight Rail



Anchor Mounted Bent Rail




Flange Mounted Straight Rail



Flange Mounted Single Post Horn Rail



Anchor Mounted Straight Rail



STAINLESS STEEL RAILS


Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Accommodate a setback anchoring of 18" from the pool wall
- Available in 1.50" and 1.90" O.D. material
- Sold as pairs
- Electropolished stainless steel
- Coated in Spectra-Shield® for added corrosion protection



Coho Grab Rails, 26" - Part #37150

Coho Grab Rails, 30" - Part #37150.30



Coho Grab Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
37150-26-.065	26"	1.90"	.065	304L/316L
37150-26-.109	26"	1.90"	.109	304L/316L
37150-26-.145	26"	1.90"	.145	304L/316L
37150-26-.083	26"	1.50"	.083	316L
37150-26-.120	26"	1.50"	.120	316L
37150-30-.065	30"	1.90"	.065	304L/316L
37150-30-.109	30"	1.90"	.109	304L/316L
37150-30-.145	30"	1.90"	.145	304L/316L
37150-30-.083	30"	1.50"	.083	316L
37150-30-.120	30"	1.50"	.120	316L

STAINLESS STEEL RAILS


Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Sold as pairs
- Available in anchor setbacks of 26" and 30"
- Electropolished stainless steel
- Available in 1.50" and 1.90" O.D. material
- Coated in Spectra-Shield® for added corrosion protection



Burbot Grab Rails, 26" - Part #35113

Burbot Grab Rails, 30" - Part #35110



Burbot Grab Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35113-26-.065	26"	1.90"	.065	304L/316L
35113-26-.109	26"	1.90"	.109	304L/316L
35113-26-.145	26"	1.90"	.145	304L/316L
35113-26-.083	26"	1.50"	.083	316L
35113-26-.120	26"	1.50"	.120	316L
35110-30-.065	30"	1.90"	.065	304L/316L
35110-30-.109	30"	1.90"	.109	304L/316L
35110-30-.145	30"	1.90"	.145	304L/316L
35110-30-.083	30"	1.50"	.083	316L
35110-30-.120	30"	1.50"	.120	316L

STAINLESS STEEL RAILS

Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**



- Designed for commercial swimming pools that require an anchor setback of 17", 26" or 30"
- Available in 1.50" and 1.90" O.D. material
- Sold in pairs
- Electropolished stainless steel Coated in Spectra-Shield® for added corrosion protection



Cisco Grab Rails, 17" - Part #35117

Cisco Grab Rails, 26" - Part #35121

Cisco Grab Rails, 30" - Part #35124



Cisco Grab Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35117-17-.065	17"	1.90"	.065	304L/316L
35117-17-.109	17"	1.90"	.109	304L/316L
35117-17-.145	17"	1.90"	.145	304L/316L
35117-17-.083	17"	1.50"	.083	316L
35117-17-.120	17"	1.50"	.120	316L
35121-26-.065	26"	1.90"	.065	304L/316L
35121-26-.109	26"	1.90"	.109	304L/316L
35121-26-.145	26"	1.90"	.145	304L/316L
35121-26-.083	26"	1.50"	.083	316L
35121-26-.120	26"	1.50"	.120	316L
35124-30-.065	30"	1.90"	.065	304L/316L
35124-30-.109	30"	1.90"	.109	304L/316L
35124-30-.145	30"	1.90"	.145	304L/316L
35124-30-.083	30"	1.50"	.083	316L
35124-30-.120	30"	1.50"	.120	316L



STAINLESS STEEL RAILS

Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Adjustable front support legs provide for individual rail adaptability
- Accommodate a setback of 26" from the pool wall
- Sold in pairs
- Electropolished stainless steel
- Available in 1.50" and 1.90" O.D. material
- Coated in Spectra-Shield® for added corrosion protection



Pike Adjustable Grab Rails, 26" - Part #35099



Pike Adjustable Grab Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35099-26-.065	26"	1.90"	.065	304L/316L
35099-26-.109	26"	1.90"	.109	304L/316L
35099-26-.145	26"	1.90"	.145	304L/316L
35099-26-.083	26"	1.50"	.083	316L
35099-26-.120	26"	1.50"	.120	316L

STAINLESS STEEL RAILS


Spectrum Aquatics® designs and manufactures premium stainless steel stair rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Sold as an individual rail
- Available in 48" and 60"
- Electropolished stainless steel
- Coated in Spectra-Shield® for added corrosion protection



Kokanee Stair Rails, 26" - Part #35005

Kokanee Stair Rails, 30" - Part #35007



Kokanee Stair Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35005-48-.065	48"	1.90"	.065	304L/316L
35005-48-.109	48"	1.90"	.109	304L/316L
35005-48-.145	48"	1.90"	.145	304L/316L
35005-48-.083	48"	1.50"	.083	316L
35005-48-.120	48"	1.50"	.120	316L
35007-60-.065	60"	1.90"	.065	304L/316L
35007-60-.109	60"	1.90"	.109	304L/316L
35007-60-.145	60"	1.90"	.145	304L/316L
35007-60-.083	60"	1.50"	.083	316L
35007-60-.120	60"	1.50"	.120	316L

STAINLESS STEEL RAILS



Spectrum Aquatics® designs and manufactures premium stainless steel stair rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Sold as an individual rail
- Available in 48" and 60"
- Electropolished stainless steel
- Coated in Spectra-Shield® for added corrosion protection



Varden Stair Rails, 26" - Part #35005

Varden Stair Rails, 30" - Part #35007



Varden Stair Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
36246-48-.065	48"	1.90"	.065	304L/316L
36246-48-.109	48"	1.90"	.109	304L/316L
36246-48-.145	48"	1.90"	.145	304L/316L
36246-48-.083	48"	1.50"	.083	316L
36246-48-.120	48"	1.50"	.120	316L
36251-60-.065	60"	1.90"	.065	304L/316L
36251-60-.109	60"	1.90"	.109	304L/316L
36251-60-.145	60"	1.90"	.145	304L/316L
36251-60-.083	60"	1.50"	.083	316L
36251-60-.120	60"	1.50"	.120	316L

STAINLESS STEEL RAILS

Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Available in 48", 60" and 72" standard sizes
- Available in 1.50" and 1.90" O.D. material
- Sold as an individual rail
- Electropolished stainless steel Coated in Spectra-Shield® for added corrosion protection



2-Bend Stair Rails, 48" - Part #35125

2-Bend Stair Rails, 60" - Part #35126

2-Bend Stair Rails, 72" - Part #35127



2-Bend Stair Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35125-48-.065	48"	1.90"	.065	304L/316L
35125-48-.109	48"	1.90"	.109	304L/316L
35125-48-.145	48"	1.90"	.145	304L/316L
35125-48-.083	48"	1.50"	.083	316L
35125-48-.120	48"	1.50"	.120	316L
35126-60-.065	60"	1.90"	.065	304L/316L
35126-60-.109	60"	1.90"	.109	304L/316L
35126-60-.145	60"	1.90"	.145	304L/316L
35126-60-.083	60"	1.50"	.083	316L
35126-60-.120	60"	1.50"	.120	316L
35127-72-.065	72"	1.90"	.065	304L/316L
35127-72-.109	72"	1.90"	.109	304L/316L
35127-72-.145	72"	1.90"	.145	304L/316L
35127-72-.083	72"	1.50"	.083	316L
35127-72-.120	72"	1.50"	.120	316L

STAINLESS STEEL RAILS


Stair Rail, 2 Bend 60" Rail, product number 35126 Rail

The stair rail shall be fabricated of 1.50" O.D. x .083", or .120", wall thickness 316L stainless steel. It shall have two bends that are to be wrinkle-free.

The stair rail shall be designed for a setback of 12" or less from the pool edge.

Anchors: The stair rail shall be supported by two (2) 4" bronze wedge anchors.
(Not Included)

Warranty: Two year limited warranty.



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS



7100 Spectrum Lane
Missoula, Montana 59808
800.791.8056
www.spectrumaquatics.com

ENGINEERING DATA

PRODUCT:	60" 2BEND STAIR RAIL-1.50-		
MODEL #:	35126	CATALOG #	35126
MATERIAL:	STAINLESS STEEL		
FINISH #:	BUFFED TO NEAR #6 FINISH OR 500 GRIT		
REVISION:	A		

A Friday, April 12, 2019 4:23:08 PM

STAINLESS STEEL RAILS

Spectrum Aquatics® designs and manufactures premium stainless steel grab rails that blend safety, durability, and refined design. Available in 304L and 316L stainless steel for standard and highly corrosive environments, our rails are offered in multiple diameters and wall thicknesses to meet a wide range of structural and aesthetic demands. From high-traffic aquatic facilities to modern pool designs, Spectrum grab rails deliver dependable support, long-lasting performance, and a clean, professional look. ***ADA-compliant when installed properly.**

- Available in 48", 60" and 72" standard sizes
- Available in 1.50" and 1.90" O.D. material
- Sold as an individual rail
- Electropolished stainless steel Coated in Spectra-Shield® for added corrosion protection



3-Bend Stair Rails, 48" - Part #35125

3-Bend Stair Rails, 60" - Part #35126

3-Bend Stair Rails, 72" - Part #35127



3-Bend Stair Rails

Part Number	Size	Outside Diameter	Wall Thickness	Material
35009-48-.065	48"	1.90"	.065	304L/316L
35009-48-.109	48"	1.90"	.109	304L/316L
35009-48-.145	48"	1.90"	.145	304L/316L
35009-48-.083	48"	1.50"	.083	316L
35009-48-.120	48"	1.50"	.120	316L
35011-60-.065	60"	1.90"	.065	304L/316L
35011-60-.109	60"	1.90"	.109	304L/316L
35011-60-.145	60"	1.90"	.145	304L/316L
35011-60-.083	60"	1.50"	.083	316L
35011-60-.120	60"	1.50"	.120	316L
35013-72-.065	72"	1.90"	.065	304L/316L
35013-72-.109	72"	1.90"	.109	304L/316L
35013-72-.145	72"	1.90"	.145	304L/316L
35013-72-.083	72"	1.50"	.083	316L
35013-72-.120	72"	1.50"	.120	316L

STAINLESS STEEL RAILS



Stair Rail, 3 Bend 60" Rail, product number 35011 Rail

The stair rail shall be fabricated of 1.50" O.D. x .083", or .120", wall thickness 316L stainless steel. It shall have three bends that are to be wrinkle-free.

The stair rail shall be designed for a setback of 12"-18" from the pool edge.

Anchor: The stair rail shall be supported by two (2) 4" bronze wedge anchors. (Not Included)

Warranty Two year limited warranty.



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS



7100 Spectrum Lane
Missoula, Montana 59808
800.791.8056
www.spectrumaquatics.com

ENGINEERING DATA

PRODUCT:	60" 3BEND STAIR RAIL-1.50-		
MODEL #:	35011	CATALOG #:	35011
MATERIAL:	STAINLESS STEEL		
FINISH #:	BUFFED TO NEAR #6 FINISH OR 500 GRIT		
REVISION:	A		

A Friday, April 12, 2019 4:02:40 PM

CUSTOM RAILS

Every stair and handrail Spectrum Aquatics creates is fully customized to complement the unique lines and layout of your pool. Stainless steel stair, hand, and grab rails are more than just functional; they're an opportunity to add elegance and sophistication to your aquatic space. **Turn a required feature into a striking design element that elevates the entire environment.**

Every rail is handcrafted to perfection by skilled artisans with over 100 years of combined welding expertise. Each piece is meticulously welded, then hand-polished to a flawless, mirror-like finish, delivering a product that's as durable as it is beautiful.

Our rails are fabricated from a variety of stainless steel material types (304L and 316L) as well as a variety of outside diameters and wall thicknesses (1.25" x .065", 1.90" x .065", 1.50" x .083", 1.90" x .109", 1.50" x .120", 1.90" x .145").

Custom color powder- coating options are also available.

Custom Rail Options:

- Diving Tower Railings
- Guard Rails
- Grab Rails, Hand Rails, and Stair Rails
- Therapy Rails In-Pool Exercise Rails
- Ramp Rails Stair Rails
- Stadium Rails
- Spectator/Crowd Control Rails



CUSTOM RAILS


Spectrum Aquatics® Custom ADA Access Rails are custom-engineered to provide safe, supportive, and fully compliant access into the pool for users of all abilities. Each rail is built to the exact specifications of your facility, ensuring a precise fit that enhances both functionality and aesthetics.

Crafted from premium stainless steel and available in multiple configurations, our Custom ADA Access Rails deliver reliable guidance and stability along sloped entries, transfer areas, ramps, and specialty access points. Every rail is designed for durability, corrosion resistance, and long-term performance.

Our rails are fabricated from a variety of stainless steel material types (304L and 316L) as well as a variety of outside diameters and wall thicknesses (1.25" x .065", 1.90" x .065", 1.50" x .083", 1.90" x .109", 1.50" x .120", 1.90" x .145").

Custom color powder- coating options are also available.

- Available in 48", 60" and 72" standard sizes
- Available in 1.50" and 1.90" O.D. material
- **Custom built to meet ADA compliance**
- Electropolished stainless steel Coated in Spectra-Shield for added corrosion protection



LADDERS and STEPS

Spectrum Aquatics ladders are available in multiple setbacks — 25", 27", 30", and 36" — to fit a variety of pool designs, all featuring our durable deluxe treads. Each 20" x 5" HDPE step includes molded nut inserts for a smooth, snag-free surface and a built-in step reference locator for easy installation. Mounting anchors and escutcheons are sold separately, and customization options are available to match your facility's needs.


Ladders and Steps are fabricated from a variety of stainless steel material types (304L and 316L) as well as a variety of outside diameters and wall thicknesses (1.90" x .065", 1.50" x .083", 1.90" x .109", 1.50" x .120", 1.90" x .145").

- Mounting anchors and escutcheons are **sold separately**
- Available in 2, 3, 4, or 5 steps
- Electropolished stainless steel
- Available in 1.9 or 1.5 material
- Available in different setbacks



Standard Ladders

Product	Part #
2-Step Standard Ladder	35129
3-Step Standard Ladder	35131
4-Step Standard Ladder	35133
5-Step Standard Ladder	35135



LADDERS and STEPS

Spectrum Aquatics ladders are available in multiple setbacks — 25", 27", 30", and 36" — to fit a variety of pool designs, all featuring our durable deluxe treads. Each 20" x 5" HDPE step includes molded nut inserts for a smooth, snag-free surface and a built-in step reference locator for easy installation. Mounting anchors and escutcheons are sold separately, and customization options are available to match your facility's needs.


Ladders and Steps are fabricated from a variety of stainless steel material types (304L and 316L) as well as a variety of outside diameters and wall thicknesses (1.90" x .065", 1.50" x .083", 1.90" x .109", 1.50" x .120", 1.90" x .145").

- Mounting anchors and escutcheons are **sold separately**
- Includes a cross-brace
- Available in 2, 3, 4, or 5 steps
- Electropolished stainless steel
- Available in 1.9 or 1.5 material
- Available in different setbacks



Heavy-Duty Ladders

Product	Part #
2-Step Heavy-Duty Ladder	36178
3-Step Heavy-Duty Ladder	36399
4-Step Heavy-Duty Ladder	36401
5-Step Heavy-Duty Ladder	36403



LADDERS and STEPS

Missoula Therapy Ladders provide safe, stable access for therapy and rehabilitation pools and are available in 3-step, 4-step, and 5-step models to accommodate a variety of pool depths and user needs.



Built with durable, corrosion-resistant stainless steel, each ladder features wide, non-slip step treads for secure footing and confident entry and exit. Designed for comfort, safety, and long-term performance, the Missoula Therapy Ladder is an ideal solution for therapeutic, wellness, and assisted-access aquatic environments.

- 400 lb weight capacity
- 22" injection molded ABS step treads with integral non-slip surface
- 1.5" diameter raised hand rail; Custom designed for each application;
- Available in 3, 4, or 5 step configuration;
- A 15-degree slope allows for ease of entry and egress



Missoula Therapy Ladder

Product	Part #
3-Step Missoula Therapy Ladder	25013
4-Step Missoula Therapy Ladder	25019
5-Step Missoula Therapy Ladder	25025



LADDERS and STEPS


Bozeman ADA Therapy Steps provide safe, dependable pool access for individuals with limited mobility. These ADA-compliant steps are portable and custom-designed to ensure a precise fit within your swimming pool environment. Featuring durable, non-slip fiberglass T-Bar step treads, the Bozeman Therapy Steps deliver stable footing, enhanced safety, and confident entry and exit for therapeutic and recreational use alike.

- 400 lb weight capacity
- 23 1/2" wide treads
- Slip-resistant and UV stabilized steps
- Durable 4" wheels for ease of transport
- Poly netting provided under stairs to avoid entrapment
- 1.5" diameter raised handrail



Bozeman ADA Therapy Steps

Product	Part #
3-Step Bozeman ADA Therapy Steps	57920
4-Step Bozeman ADA Therapy Steps	57921
5-Step Bozeman ADA Therapy Steps	57922
6-Step Bozeman ADA Therapy Steps	57923



LADDERS and STEPS

Recessed Molded Step


The Recessed Molded Step provides a sleek, space-saving entry solution for pools where deck space and clean aesthetics matter. Designed to sit flush within the pool wall, this step delivers a safe, comfortable foothold without projecting into the swimming area. The durable molded construction offers excellent slip resistance and long-lasting performance, making it an ideal choice for both competitive and recreational pools.

- 20% Glass-filled polypropylene material
- Slip resistant
- Overall dimensions: 17 5/8" x 6 7/8"
- Foot opening: 15 9/16" x 4 7/8"



Recessed Steps

Product	Part #
Recessed Molded Step	183013



Recessed Stainless Steel Step

The Recessed Stainless Steel Step combines refined appearance with superior strength and corrosion resistance. Installed flush into the pool wall, this step maintains unobstructed swimming lanes while offering secure, stable entry and exit. Crafted from premium stainless steel for long-term durability in demanding aquatic environments, it features a slip-resistant surface that enhances safety without compromising aesthetics. Perfect for both new construction and renovation projects.

- Slip-resistant
- 304L Stainless Steel
- All welded design
- Overall dimensions: 1' 5" x 7 5/8"
- Foot opening: 1' 3" x 5"



Recessed Steps

Product	Part #
Recessed Stainless Steel Step	23452



ACCESS RAMP




Kalispell Stainless Steel Access Ramp delivers quick, safe, and convenient pool access for individuals with mobility concerns. Constructed from durable, corrosion-resistant stainless steel, this ramp is engineered for long-term performance in demanding aquatic environments. Integrated wheels allow for easy placement and removal from the pool when not in use, providing flexible accessibility without permanently occupying pool deck or water space. The Kalispell Access Ramp offers a dependable, ADA-friendly solution for inclusive aquatic facilities.

- Mounting hardware is included
- Designed to support a 400 lb capacity
- 15' ramp length provides ease of entry and egress for patrons
- 36" wide structural fiberglass T-Bar slip-resistant surface
- Custom-fabricated for each pool to ensure proper fit
- **Great for secondary access**



Kalispell Access Ramp

Product	Part #
Kalispell Access Ramp	28630



SOLARIAN LINE OF CUSTOM RAILS

Elevate your pool's aesthetic with timeless style and unmatched functionality.

Solarian is a curated collection of upscale, themed pool deck equipment meticulously crafted to refresh and unify the aesthetic of your pool area.

Solarian products are crafted from premium-grade 304L stainless steel, with an option for 316L upon request, all sourced from American manufacturers. Each piece is electropolished and fortified with SPECTRA-SHIELD® to ensure unparalleled corrosion resistance. Powder coating options are available for customizing. You can mix and match these products to your liking or purchase them individually.





Available in 1.5" and 1.9" diameter tubing.

- Ladders
- Stair Rails
- Grab Rails
- Dive Stand
- Lifeguard Chairs
- Pool Cover Winders



Solarian Line

Product	Part #
Solarian Grab Rails	144018
Solarian Cover Winder	144043
Solarian Stair Rails	134886
Solarian Ladders	134640
Solarian Portable Lifeguard Chairs	144098
Solarian Permanent Lifeguard Chairs	144027
Solarian Dive Stand	144088



STANCHION ANCHORS

Bronze Stanchion Anchor Kit - 6"

The Bronze Stanchion 6" Anchor Kit provides a durable, secure mounting solution for 1.90" O.D. stanchions, including water polo goals and Traveler pool lifts. Designed for reliable performance in concrete pool decks, this anchor system ensures proper equipment alignment and long-term stability. Each complete kit includes the bronze anchor, flush-mount lid, and key for easy installation, access, and removal when needed.

Stainless Steel Stanchion Anchor - 6"


The Stainless Steel Stanchion Anchor 6" is engineered for maximum corrosion resistance and strength in demanding aquatic environments. Designed for 1.90" O.D. stanchions, this anchor is ideal for water polo goals and other deck-mounted pool equipment. Constructed entirely from premium 316L stainless steel, it delivers superior durability, longevity, and performance. The kit includes the anchor, flush-mount lid, and key for secure installation and convenient equipment change-out.

- Made of Bronze or 316L Stainless Steel
- Kits include:
 - Lid
 - Key
- Replacement parts available



Stanchion Post Anchors

Product	Part #
Bronze 6" Anchor Kit, 1.90"	23638-00
Replacement lid and key	36450-00
316L Stainless Steel Stanchion Anchor Kit, 1.90"	24060-00



316L Stainless Steel 6" Anchor Kit



Bronze 6" Anchor Kit




STANCHION ANCHORS

The Tagline Anchor is designed to provide added stability and tension support for tagline stanchions in pools with longer widths. Ideal for installations where increased tension is required on backstroke flag lines, this anchor helps maintain proper alignment and consistent flag height across the pool. Built for reliable performance in concrete pool decks, the Tagline Anchor ensures a secure, long-lasting solution for competitive aquatic environments.

- Provides added stability
- Great for pools with longer widths

Stanchion Post Anchors

Product	Part #
Tagline Anchor Kit Stanchion, Bronze	1810360



ANCHORS

4" Standard-Duty Bronze Anchor

The Spectrum Aquatics 4" Standard-Duty Bronze Anchor is designed to provide dependable anchoring for pool rails, ladders, and other deck-mounted aquatic equipment. Ideal for concrete pool decks, this anchor delivers reliable holding strength and long-term durability for standard-duty applications. Precision-cast for consistent performance, it offers a trusted solution for secure equipment installation in commercial aquatic facilities.

6" Stainless Steel Wedge Anchor

The 6" Stainless Steel Wedge Anchor is engineered for secure installation of 1.50" O.D. railings in commercial aquatic environments. Featuring a 6" deep anchor body constructed from 304L cast stainless steel, this anchor delivers excellent strength and corrosion resistance. The cast bronze wedge provides reliable expansion and holding power, while 304L stainless steel hardware ensures durability and long service life. Designed for concrete pool decks, this anchor offers a robust, professional solution for high-use installations.

Stainless Steel Cover for Bronze Wedge Anchor

The Stainless Steel Cover for Bronze Wedge Anchor provides a clean, finished appearance for deck installations while helping protect the anchor opening from debris and moisture. Constructed from corrosion-resistant stainless steel, this cover enhances safety and aesthetics by concealing hardware and deck penetrations. Designed for compatibility with Spectrum Aquatics bronze wedge anchors, it completes the installation with a polished, professional look.

- Made of Bronze or 304L Stainless Steel
- In 4" or 6" sizes
- For 1.90" and 1.50" OD rails



Anchors

Product	Part #
4" Standard-Duty Bronze Anchor, 1.90"	24010-00
4" Standard-Duty Bronze Anchor, 1.50"	54052
6" 304L Stainless Steel Wedge Anchor, 1.50"	24090-00
304L Stainless Steel Cover for Bronze Wedge Anchor, 1.90"	24012-00

4" Standard-Duty Bronze Anchor



6" Stainless Steel Wedge Anchor



Stainless Steel Cover



ANCHORS

The 6" Spectra Lock™ Compression Anchor is engineered to address common corrosion and maintenance challenges in aquatic environments while simplifying rail and ladder installation. Designed for 1.50" O.D. tubing, this innovative anchor system eliminates the debris buildup, corrosion, and mineral deposits typically found in traditional wedge anchors, **helping reduce long-term maintenance costs and cleaning time.**


Featuring a built-in compression ring, the Spectra Lock™ anchor applies even, controlled pressure around the tubing, minimizing potential damage to rails or ladders while ensuring a secure, stable fit. Its escutcheon-less, flush-mount design delivers a clean, finished appearance at the deck surface and eliminates alignment issues and frequent bolt tightening commonly associated with wedge anchor assemblies.

Ideal for underwater installation of handrails and ramp rails, the Spectra Lock™ anchor prevents rust bleed-through that can negatively impact water quality. It also allows for easier removal and reinstallation of rails or ladders during routine maintenance, repairs, or facility renovations. The anchor accommodates recommended ADA-compliant handrail and ladder tubing diameters and is available in standard colors: black, white, bone, and traffic grey, with custom colors available to match facility aesthetics.

- U.S. Patent 7,437,857
- Standard colors: black, white, bone, traffic grey. Available in custom colors
- Escutcheon-less, flush-mount design gives the rail and deck a finished look
- Accommodates recommended ADA-compliant handrail and ladder tubing diameters
- Eliminates alignment issues and the need for frequent bolt tightening, common with wedge anchor assembly

Anchors

Product	Part #
Spectra Lock™ Compression Anchor, Black	42696
Compression Anchor Wrench	184516
Compression Anchor Cap and Key	24098-00



ESCUTCHEON PLATES

Spectrum Aquatics Escutcheon Plates provide a clean, finished appearance at deck penetrations where stanchions, rails, ladders, anchors, and other deck-mounted aquatic equipment interface with the pool deck. Designed to conceal anchor openings, fasteners, and core drill edges, escutcheon plates enhance both aesthetics and safety while helping protect deck surfaces from wear and water intrusion.

Available in multiple sizes and shapes, Spectrum escutcheon plates are engineered for long-term durability in commercial aquatic environments. Each plate is precision-fabricated to ensure proper fit, ease of installation, and a professional, polished look that complements Spectrum Aquatics equipment throughout the facility.

- Made of 316L Stainless Steel
- Available in:
 - Keyhole
 - Round
 - Split two-piece
- For 1.90" and 1.50" OD rails



Escutcheon Plates

Product	Part #
316L Stainless Steel Keyhole Escutcheon, 1.90"	35214
316L Stainless Steel Keyhole Escutcheon, 1.50"	35222
316L Stainless Steel Round Escutcheon, 1.90"	30037
316L Stainless Steel Round Escutcheon, 1.50"	30048
Split Two-Piece Escutcheon, 1.90"	2010296
Split Two-Piece Escutcheon, 1.50"	183010



Keyhole Escutcheon



Round Escutcheon



Split Two-Piece Escutcheon



Screws (x2) Included



LADDER ACCESSORIES

Spectrum Aquatics Ladder Bumpers and Replacement Treads are designed to maintain ladder safety and protect pool surfaces in commercial aquatic environments. Ladder bumpers help prevent damage to pool walls and ladder finishes, while replacement treads restore secure, slip-resistant footing. Ideal for routine maintenance and renovations, these accessories extend ladder life and support safe, reliable performance.

- Universal Ladder Tread:
 - Made of UV-stabilized polypropylene
 - 20" L x 5" W
 - Converter attachment allows for use with both 1.50" and 1.90"
 - 5" Deep
 - Hardware included
- Replacement Ladder Treads - 1.50", 1.90"
 - Made of high-density polyethylene (HDPE)
 - 20" long, with a curved design featuring a 6" width at the center and 3¼" at the ends
 - Available for 1.50" and 1.90" O.D. rails
 - Hardware included



Ladder Accessories

Product	Part #
Female Ladder Bumper, 1.50" OD	30038
Female Ladder Bumper, 1.90" OD	30021
Male Ladder Bumper, 1.90" OD	16644
Universal Replacement Ladder Tread	44986
Replacement Ladder Tread, 1.50" OD	24411
Replacement Ladder Tread, 1.90" OD	24412

Ladder Bumpers, Male and Female



Universal Replacement Tread



1.50"/1.90" Replacement Tread



INSTANT ACCESS. ANYTIME. ANYWHERE.

Need answers? We're always just a click away.

Scan to Visit our Online Store:



Keep your stainless steel looking as flawless as the day it left our shop. Spectra-Clean™ is the trusted solution we count on to maintain and restore that signature shine. Ready to refresh your equipment? Shop now on our online store.

Scan to Contact Us:



Have a question? We're here to help. Reach out anytime using the Contact Us form on our website. Just select the team member you'd like to connect with and let us know how we can assist. We'll get back to you as soon as possible.

Scan to Visit our Support Page:



Have you explored our Support Page? It's your go-to resource for everything Spectrum Aquatics, packed with FAQs, how-to videos, tips, and downloadable guides to help you get the most out of your equipment.

Give us a call at 800.791.8056 during regular business hours, or email us anytime at info@spectrumproducts.com, we're here to help!

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



Building **communities** through **play** & **recreation**™

THE PLAYCORE AQUATIC BRANDS

The PlayCore aquatic brands work together as the ultimate resource for creating your entire aquatic experience. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities, including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After your installation is complete, we provide ongoing support for the lifetime of your product to ensure you get the most out of your recreational, commercial, municipal, or competitive facility.



fountain people
A PLAYCORE Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



7100 Spectrum Lane
Missoula, MT 59808
800.791.8056
spectrumproducts.com



7100 Spectrum Lane
Missoula, MT 59808
800.624.1235
altapoolcovers.com



4600 Hwy 123
San Marcos, TX 78666
512.392.1155
waterodyssey.com



10601 Oak St NE
St. Petersburg, FL 33716
888.426.8511
aquaworxusa.com




1551 East 11th Street
Loveland, CO 80537
800.279.0111
coloradotime.com



800.791.8056 | info@spectrumproducts.com
www.spectrumproducts.com

SALES TEAM



Western Region

Inside Sales Representative

Torie Madgwick:

torie.madgwick@spectrumproducts.com



Midwest/Canada/International

Sales/Inside Sales Supervisor

Rachel King:

rachel.king@spectrumproducts.com



Eastern Region

Inside Sales Representative

Shay Stone:

shay.stone@spectrumproducts.com



National Sales Manager

Jake Godinez:

jake.godinez@spectrumproducts.com



Vice President of Sales, Marketing

Nabil Khaled:

nabil.khaled@spectrumproducts.com



Field Sales/Mechanical Engineer

Noah Henderson:

noah.henderson@spectrumproducts.com



SPECTRUM AQUATICS® STANDARD TERMS & CONDITION OF SALES

Terms of Sale: Standard payment terms for customers that are registered businesses within the United States and Canada and meet the company's credit criteria are net 30 days from invoice date, unless otherwise agreed upon by Spectrum Aquatics®. If the customer fails to pay within payment terms, the company reserves the right to defer shipments until payment has been made and has the option to cancel all or any part of an unshipped order. A 1.5% per month finance charge may be imposed on all past due accounts. Customers within the United States or Canada, without a credit history, may purchase products and pay with check by mail or charge the purchase of products to a credit/debit card (Visa, MasterCard or American Express). Any checks or electronic debit authorization that are returned for any reason will be charged a \$30 non-sufficient fee.

To establish a credit account with Spectrum Aquatics®, the customer must be within the United States or Canada and must complete a credit application and thus, furnish such information as requested by Spectrum Aquatics®. Credit applications will not be accepted without a signature from an owner or appropriate company officer. Spectrum Aquatics® reserves the right in its absolute discretion to grant, refuse or discontinue any extensions of credit, or reduce or suspend any credit limit at any time.

Prices: Prices are F.O.B. factory and do not include freight charges. The possession of a price list or other pricing information does not constitute an offer or agreement to sell. Prices are subject to change without notice and are in US Dollars. Taxes, duties and other fees are the sole responsibility of the buyer. Prices shown do not include any federal, state, or local taxes and shall be billed as a separate item and paid by the Customer. Orders are accepted with the understanding that such taxes will be added, as required by law. Sales tax will be charged unless the customer has a valid sales tax resale or exemption certificate on file with Spectrum Aquatics®.

Price quotations for standard products are valid for 30-days. Price quotations for custom products and commercial projects are valid for 60-days. Price quotations for custom design or special items are subject to change predicated on the information provided by the sellers at the time of quotation, as opposed to the definitive information presented at the time of order entry, engineering or fabrication.

Customer Orders: Order placement requires a hard copy purchase order or signed copy of a quotation. If purchase order is verbal, with no hard copy (purchase order or signed quotation) confirmation, seller will not assume responsibility for errors related to, but not limited to, date of shipment, destination of shipment, items shipped or quantity of items shipped. Order must be shippable within 90-days of placement to hold original pricing. Purchase orders originating outside the United States and Canada require prepayment or an irrevocable letter of credit at time of order entry.

Order Cancellation: Orders for standard cataloged products, if canceled within 24 hours, will be assessed a \$200.00 cancellation fee. The seller must receive order cancellation in writing. Once, accepted, orders can only be canceled after 24 hours with the consent of Spectrum Aquatics® and on terms which will indemnify Spectrum Aquatics® against loss. Canceled orders after 24 hours will be subject to a restocking fee. Custom equipment is non-cancellable.

Freight Procedure & Claims: The transfer of ownership from Spectrum Aquatics® occurs once the load is signed over to the freight company (FOB factory). The customer is responsible for all freight related costs, even those that may have not been disclosed as necessary to obtain the product at the time the order is placed, these can include but are not limited to: lift gates, limited access location charges, and construction zone deliveries.

INSPECT FREIGHT IMMEDIATELY UPON DELIVERY. All damage that occurs during the transit is the responsibility of the freight company and therefore is the responsibility of the owner/purchaser to file freight damage claims directly to the carrier. It is the customer's responsibility to obtain the bill of lading and document what has been received. Per federal law, the bill of lading will be used for all disputes. All freight damage must be noted on the bill of lading. Damage to packaging and any suspected hidden damage should be noted on the bill of lading and the Customer must contact the freight carrier within three days of delivery.

Any packaging requirements other than the standards used by Spectrum Aquatics® will be invoiced as an extra charge.

Returns/Restocking Fee: Products may not be returned to Spectrum Aquatics® without prior approval. It is the responsibility of the customer to obtain a return materials authorization (RMA) number from the Spectrum Aquatics® parts and warranty department prior to returning materials. If items are returned without an RMA the freight will be refused and the customer will be responsible for all freight costs. The RMA number must be written on the outside of each package that is being returned. Spectrum Aquatics® will reject items returned without a legible RMA number. Returns must be sent with freight prepaid and are subject to a restocking charge of 25% of the purchase price. Items must be returned within 30 days of issuance of a RMA; if not returned within 30 days the RMA will be canceled. All freight costs associated with returns from the desired shipping point to Spectrum Aquatics® are the customer's responsibility. Materials that qualify for return must be returned within 90 days of invoice date. All materials returned must be in a new and unused condition to warrant any credit consideration.

Shortage of Goods or Damaged Goods: Claims for shortages must be made in writing to the Spectrum Aquatic's parts and warranty department within three days after delivery of goods. If notice is not received in writing within this time frame, Spectrum Aquatics® will conclusively presume that the goods were delivered in their entirety. Unless agreed upon otherwise in writing, Spectrum Aquatics® reserve the right to make partial shipments and to submit invoices for partial shipments. **Delay or Non-Delivery:** Spectrum Aquatics® is not liable and shall be indemnified for any delay in delivery or failure to deliver hereunder when delivery has been made by impractical by fire, flood, embargo, strike, differences with employees, accidents, acts of God, failure or inability to secure materials from usual sources of supply or any other circumstances beyond the control of Spectrum Aquatics®.

Buyer's Financial Condition: Spectrum Aquatics® reserves the right to refuse service, terminate accounts, cancel orders, modify any payment terms or require full or partial payment or adequate assurance of performance from the Customer, without liability to Spectrum Aquatics®. Should the customer experience a material adverse change in their financial condition or if reasonable grounds for insecurity arise with respect to the customer's performance of this agreement, then Spectrum Aquatics® reserves the right to modify payment terms include shortening the payment period, requiring advance payment, or requiring payment of cash on delivery. Spectrum Aquatics® reserves the right to cancel buyer's credit at any time for any reason, without notice. The foregoing remedies are in addition to Spectrum Aquatics® other rights and remedies under this agreement and under applicable law, including Section 2-609 of the Uniform Commercial Code.

Indemnification: Buyer agrees to indemnify, defend and hold harmless Spectrum Aquatics®, its directors, officers, employees, agents, successors and assigns from and against any and all damages, losses, expenses, costs (including without limitation reasonable attorney's and accountant's fees), claims, suits, actions, judgments or other liability asserted against or incurred by Spectrum Aquatics® arising out of the customer's breach of its obligations hereunder, customer's negligence or misconduct, or customer's misuse or misapplication of the products or service Items or damage to the products or service Items caused by the customer or its employees, agents or customers.

Note: Product descriptions may vary.

ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission Duraflex is a registered trademark of Duraflex International Corp., used with its permission Harmsco is a registered trademark of Harmsco, Inc., used with its permission Sta-Rite is a registered trademark of Sta-Rite Pool, LLC, used with its permission Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission

SPECTRUM AQUATICS® WARRANTY

TWO-YEAR LIMITED WARRANTY: PARTS THREE-YEAR LIMITED WARRANTY: STAINLESS
STEEL DECK EQUIPMENT AND AQUATIC LIFT FRAME

What is covered by this warranty? Spectrum Aquatics® warrants all products it manufactures to be free from defects in materials and factory workmanship to the original buyer. This warranty is contingent upon the proper installation, use, care and operation of the equipment for its intended purpose, and does not cover equipment that has been modified or has been subjected to physical abusive or environmental stresses. Spectrum Aquatics® agrees to repair or replace, at its sole discretion, any product that fails to perform as specified within the specified warranty period, unless otherwise noted. In cases where the warranty card is not returned to Spectrum Aquatics®, the beginning date for the warranty period will be the date that the pool lift was shipped from Spectrum. This warranty relates only to defects in materials and workmanship and does not include damage or failure resulting from other causes, including, but not limited to, acts of God, misuse or abuse, accident or negligence, fire, improper installation or ice damage. This warranty does not apply to fading of materials or to any corrosion of any metallic parts. Damage induced by the improper use of chemicals is not covered by this warranty. In the event that products are altered or repaired by anyone without the prior written approval of Spectrum Aquatics®, all warranties are voided.

What will Spectrum do related to the product covered by this warranty? Spectrum shall provide, F.O.B. the factory, new or reconditioned replacement product or parts (Spectrum's option). This warranty does not cover labor to remove or install equipment and parts.

What is not covered by this warranty? Damage or loss in transit as indicated by bill of lading, normal wear and tear, chemical damage, discoloration, misuse and damage or loss caused by neglect, abuse, vandalism, modification, improper installation, lack of proper maintenance (such as keeping products clean, lubricating battery contacts on lifts, etc.) or physical damage are not included in this warranty. See owner's manual for recommendations related to the use and care of the product.

Powder Coated Products: This warranty does not cover chipping, flaking, scratches or any other surface defect due to abuse, mishandling of product, or lack of maintenance and care. Due to the corrosive environments, this warranty does not cover surfaces damaged during handling or installation. Although powder coating on product is designed for long-term use, keeping products outside in the elements, inside a highly humid environment, excessive washing (including power washing) or improper maintenance may result in premature corrosion.

Parts: Components of products provided by other manufacturers are subject to the original equipment manufacturers (OEM) warranty. Examples include but not limited to batteries, actuators, control systems, valves, pumps, bearing, etc.

IMPORTANT: TO ENSURE SAFE OPERATION, USERS MUST COMPLY WITH THE PUBLISHED WEIGHT LIMITS ON SEVERAL PRODUCTS SUCH AS SLIDES, LIFTS, CHAIRS, STARTING PLATFORMS, STANDS AND LADDERS. REFER TO PRODUCT LITERATURE AND MANUALS FOR THESE LIMITATIONS.

Spectrum Aquatics® disclaims all liability for damage during transportation, for incidental, special or consequential damage of whatever nature, for damage due to handling, installation, or improper operation, or for damage caused by circumstances beyond Spectrum Products™ control; in no event shall recovery of any kind against Spectrum Products™ be greater in amount than the purchase price of the equipment sold by Spectrum Aquatics® that caused alleged damage. Spectrum Aquatics® makes no warranties either expressed or implied, including any warranty of merchantability or fitness for particular purpose, other than these stated. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long on implied warranty lasts, so the above exclusions may not apply to you. No representative has authority to change or modify this warranty in any respect.

HAND RAIL MEASURING GUIDE

☐ TWO BEND (6" OR LESS SETBACK)
☐ THREE BEND (7" OR GREATER SETBACK)

	DESCRIPTION	MEASUREMENT
A	RAIL WIDTH	
B	RAIL HEIGHT	
C	ANCHOR DEPTH	
D	OVERALL DROP	
E	RAIL SETBACK	
F	STEP RUN	
G	STEP RISE	
H	POST LOCATION *(OPTIONAL)	

☐ 316L MATERIAL
☐ 304L MATERIAL


X	MATERIAL	MAX POST SPACING
	1.90"x.065" STAINLESS STEEL	56"
	1.90"x.109" STAINLESS STEEL	87"
	1.90"x.145" STAINLESS STEEL	109"
	1.50"x.083" STAINLESS STEEL	42"
	1.50"x.120" STAINLESS STEEL	56"

A PLAYCORE Company

ENGINEERING DATA

PRODUCT: MG STAIR RAIL 3-BEND
 PRODUCT #: N/A
 MATERIAL: SEE MATERIAL OPTIONS
 REVISION: A Thursday, July 23, 2020 12:05:31 PM

LADDER MEASURING GUIDE



 7100 Spectrum Lane Missoula, Montana 59808 800.791.8056 www.spectrumaquatics.com	ENGINEERING DATA			
	PRODUCT:	SPECTRUM LADDER -		
	MODEL #:	MG LADDER	C..ATALOG #:	REVISION: A
	MATERIAL:	300 SERIES S.S. TUBE		
	FINISH #:	PASSIVATE IAW ASTM A967		

A Monday, November 28, 2022 3:25:31 PM

RAMP MEASURING GUIDE

PROJECT: RAIL DRAWING				DATE: 10/12/2022			
RAIL LENGTH							
RAMP LENGTH							
LANDING LENGTH							
RAMP LENGTH							
RAMP DROP							

PRELIMINARY DO NOT FABRICATE

CUSTOMER:		MATERIAL:	
SALES ORDER:	TERMINAL:	QTY:	UNIT:
X	X	X	X

NOTICE:
ALL OTHER PROVISIONS ARE MADE AT THE TIME OF SUBMISSION.
REVISIONS TO ALL APPROVED DRAWINGS MUST BE MADE WITHIN 24 HOURS OF RECEIPT TO AVOID CHARGES FROM WORK IN PROGRESS.

CUSTOMER SIGNATURE

BY: _____
DATE: _____

BY SIGNING ABOVE, CUSTOMER AGREES AND WARRANTS THAT THIS PROJECT IS APPROVED FOR CONSTRUCTION.

PROPRIETARY AND CONFIDENTIAL

PLEASE REVIEW THIS SUBMITTAL THOROUGHLY. DESIGN TO SUPPLIED SPECIFICATIONS. SPECTRUM AQUATICS HAS MADE EVERY EFFORT TO ENSURE ACCURACY. IF YOU IDENTIFY ANY ERRORS AFTER THE SUBMITTAL(S) HAS BEEN SIGNED AND APPROVED, PLEASE INSURE ALL DIMENSIONS AND TOLERANCES ARE CORRECTED PRIOR TO FABRICATION. ALL DIMENSIONS SHALL BE COMPLIANT WITH APPLICABLE CODES.

SPECTRUM AQUATICS®
a PLACORE COMPANY


7100 SPECTRUM LANE
MISSOULA, MT 59808
(406) 542-9781
FAX: (406) 542-1158

RAIL DRAWING

SIZE: DWG NO. B	REV
SCALE: 1:50	DIMENSIONS ARE IN INCHES TOLERANCES FRACTIONAL 1/8"
WEIGHT: SK 1 OF 1	

SPECTRUM
AQUATICS®
A PLAYCORE Company

38





MADE IN USA

SPECTRUM
AQUATICS®

A **PLAYCORE** Company

7100 SPECTRUM LANE - MISSOULA MT. - 59808

800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM