




Commercial Stainless Steel Starting Blocks

ABOUT US

At Spectrum Aquatics, we have been dedicated to building your trust and providing reliable competition, recreation, accessibility, and pool deck equipment since 1972. Our team of hardworking and committed individuals takes great pride in crafting high-quality and custom products at our shop in Missoula, Montana. By combining our expertise and passion for innovation, we consistently strive to surpass your expectations and deliver exceptional solutions to meet your unique needs.

Choosing Spectrum Aquatics means you're embracing unparalleled professionalism, meticulous attention to detail, and exemplary customer service. It's our privilege to be recognized as your dependable ally in the aquatics industry.

Shane Clagett,
General Manager of Spectrum Aquatics



CONTACT US:

Parts and Warranty

Direct: (406) 532-6321

Email: service@spectrumproducts.com

Sales

Direct: (800) 791-8056

Email: info@spectrumproducts.com



Visit our Website
www.spectrumproducts.com

PHONE 800.791.8056 | FAX 800.791.8057 7100 SPECTRUM LANE, MISSOULA, MONTANA 59808

TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT: WWW.SPECTRUMPRODUCTS.COM



800.791.8056 | info@spectrumproducts.com
www.spectrumproducts.com



COMPETITIVE SWIMMING STRENGTH. EXPERIENCE. FORM.

**Built with the same precision and performance that define the best athletes,
because greatness starts at the block.**

Spectrum Aquatics® delivers performance-driven starting platforms built to outlast and outperform the competition. Available in both single and dual post models, each platform features precision-engineered non-slip tops and steps that give swimmers the confidence to start strong.

Our stainless steel tops feature a premium grit overlay that delivers unmatched traction, the kind of secure surface competitors simply can't match. For facilities that frequently remove and store their platforms, our low-density polyethylene (LDPE) tops are the wise choice. Built tough for demanding aquatic environments, they resist fading, discoloration, and cracking while maintaining a superior non-slip surface that exceeds industry standards.

- Unlimited color and logo options available on Sprint, Xcellerator®, Record Breaker, and Fusion Starting Blocks
- All Spectrum blocks can be customized to fit virtually any existing anchor
- Electropolished and Spectra-Shield® coated stainless steel provides a high-quality finish that resists corrosion
- Our starting platforms comply with World Aquatics, USA Swimming, NCAA, and NFHS regulations (excluding the Quicksilver)




The Next Generation of Spectrum Aquatics Starting Blocks

NEW!

For decades, Spectrum Aquatics has designed and manufactured starting blocks built to meet the demands of competitive swimming and the challenging commercial aquatic environment. As the sport, technology, and needs of aquatic facilities continue to evolve, so does our starting block lineup.

Spectrum Aquatics is excited to offer the next generation of our competitive starting blocks: **Dash** and **Sprint with Rapid Lock™**.




Dash is designed to grow with your swim program. Engineered from the start with a clear upgrade path to the Sprint with Rapid Lock™, Dash can easily be transformed by adding the Rapid Lock™ track-start wedge and handholds. This allows facilities to invest in the starting block they need today with the flexibility to add advanced starting capabilities as their program grows.

SPRINT WITH RAPID LOCK™

Endorsed by Gold Medal Olympian, Katharine Berkoff

Sprint with Rapid Lock™, the ultimate lightweight starting block top that revolutionizes performance. Our advanced wedge locking mechanism delivers an unparalleled and secure method for adjusting the foot wedge, ensuring that you are firmly locked in for powerful starts.



"The sprint rapid lock is a game changer in competitive swimming. The wedge is easy to adjust and lock into place, and with the block's grip, size, and texture combined with its new rapid lock system, it's hard to beat."



SPRINT WITH RAPID LOCK™



- Compatible with all Spectrum Aquatics starting blocks and a direct fit for the Xcellerator® and Record Breaker models
- Lightweight design allows for easy installation, removal, and transport
- Rapid Lock™ system features a large, user-friendly paddle lever for quick, cable-free wedge adjustments
- Customizable finishes include powder coating and logos or artwork on the block top, wedge, and step
- Grit overlay surface provides superior traction while remaining comfortable for athletes' feet and hands
- Fully compliant with World Aquatics, USA Swimming, NCAA, and NFHS regulations

Interchangeable Top Plates with Sprint

The interchangeable top plate system allows rapid customization without replacing the entire starting block. Easily swap out top plates to showcase custom branding, sponsorship logos, or event-specific graphics.

- Perfect for **fundraising opportunities**, this feature allows teams and facilities to generate additional revenue by selling sponsorship plates!



Rapid Lock™ is an innovative foot wedge adjustment system that eliminates cables and pins. Its durable, paddle-style handle allows for faster, smoother, and more reliable positioning—addressing common failure points found in traditional designs.

- Remarkably lightweight
- Exceptionally easy to use
- Effortless functionality
- Free from cables and pins
- Engineered for durability



SPRINT WITH RAPID LOCK™

Starting Platform Top Sprint, part number 2510111

The Sprint Starting Platform Top with Rapid Lock Track Start Wedge shall consist of the following components:

Platform Top When installed on a Starting Block Frame, Platform Top shall slope toward the pool edge at a ten-degree angle; the front edge shall be between 29" and 29 1/2" from water level. The Platform Top shall be injection molded from 30% glass reinforced polypropylene with 316L bolt on features. The Platform Top shall share a bolt pattern with previous Spectrum Platform Tops including Xcellerators and Record Breakers to allow for attachment to previously installed Starting Block Frames. The Top Surface is to be covered by a removable Grip Plate. The Grip Plate shall be attached with screws and thumb nuts. The Grip Plate shall be covered by Surface Texture. Upon removal, the Grip Plate may be replaced by a different Grip Plate with different livery or a Grip Plate with a third party Timing Top feature. Side Handles shall attach to the Platform Top. Side Handles shall be 316L Stainless Steel with PVC Vinyl Foam Handgrips


Track Start Footrest The Track Start Footrest shall slope 30 degrees from the surface plane of the Platform Top. The Track Start Footrest shall be equipped with our Rapid Lock feature allowing it to be locked into one of 7 positions. Rapid Lock shall be operated by lifting one of three Tabs, two on either side, one in the center, to unlock the unit. The Track Start Footrest is then able to freely slide to the user's desired position and then securely locked back by releasing the tabs. Slide features and lock pockets shall be built into the Platform Top. Rapid Lock and Slides shall allow for 7 1/2" total travel, locking in seven positions spaced evenly. The Footrest Body shall be injection molded from 30% glass reinforced polypropylene while it's frame shall be fabricated of 316L stainless steel. The Slides shall be UHMW. The Footrest Body shall be covered by Surface Texture that matches the Platform Top.

Surface Texture


The Surface Texture shall be covered with abrasive particles bonded by tough, durable polymer to a dimensionally stable plastic film. The reverse side of the film will be coated with a pressure-sensitive adhesive covered by a removable protective liner that is removed upon factory application to the Grip Plate and Footrest Body. The Surface Texture shall be available in standard black or white with options for custom logos and other optional surfaces.

Warranty


Spectrum standard warranty.




Third Party Timing Top Surface Texture



Black Surface Texture



Custom Logo Surface Texture (varies)



White Surface Texture

NOTE:

⚠️ DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS






ENGINEERING DATA

PRODUCT:	SPRINTSTARTINGBLOCKTOP -		
MODEL #:	2510111	CATALOG #	2510111
MATERIAL:	SEE BILL OF MATERIALS		
FINISH #:	N/A		
REVISION:	X1		

X1 Tuesday, January 28, 2025 3:29:27 PM


Sprint with Rapid Lock™

Product	Part #
Top Only	2510111
Single Post Round or Square	2510121
Single Post Cougar/Growler Adapter	2510096
Single Post Bighorn/Grizzly Adapter	2510172
Dual Post	2510131
Dual Post Cougar/Growler Adapter	2510096
Dual Post Bighorn/Grizzly Adapter	2510172



800.791.8056 | info@spectrumproducts.com
www.spectrumproducts.com

SPRINT WITH RAPID LOCK™ MEASURING GUIDE



NOTE:

Field measurements are required for the product you wish to order. Please provide product accurate measurements to eliminate delays or errors in the design and manufacturing.

* These dimensions are standard production for Spectrum Aquatics and meet FINA, NCAA, USAS, USMS, and NFHS height requirements. Please contact your Spectrum Aquatics sales representative if you would like to vary these dimensions.

Step side is determined by standing behind your block while facing the pool.

If your deck has a slope, dimension A should be taken from the surface of the water to the level where the starting platform post meets the deck.

\$ Call for additional pricing

FRAME DESIGN		BLOCK COLOR OPTIONS				
(A) WATERDRAFT - TOP OF DECK TO SURFACE OF WATER			BLACK	\$WHITE	\$GRAY	\$CUSTOM LOGO/COLOR
(B) SETBACK - POOL WALL TO CENTER OF ANCHOR		TOP				
LEFT STEP (SHOWN)		STEP				
RIGHT STEP		WEDGE				
\$ OPTIONAL POWDER COATING		BLOCK NUMBERING	BLUE	BLACK	WHITE	\$ CUSTOM FONT/COLOR
POWDER COAT COLOR:		HOW WILL THEY BE #D				
A	MG SPRINT SP Friday, January 31, 2025 4:18:24 PM SHEET 1 OF 1		SubmittedBy: _____			
	 A PLAYCORE Company		Signature: _____			
			Date: _____			

7100 Spectrum Lane Missoula, Montana 59808 800.791.8056 www.spectrumproducts.com

DASH STARTING BLOCK

- Large 24" x 32" non-slip platform
- Easily upgrades to the **Sprint with Rapid Lock™** (upgrade kit purchased separately)
- Made of a lightweight 30% glass-reinforced polypropylene
- Available in single-, square single-, and dual-post
- Offered with left- or right-side step configurations
- Custom powder coat colors and finishes available
- Fully customizable top plate and step
- Can accommodate a variety of heights and setbacks
- Complies with World Aquatics, USA Swimming, NCAA, and NFHS regulations




Dash Starting Block


Product	Part #
Single Post	2610474
Dual Post	2610484
Top Only	2510444
Complete Upgrade Kit	2610526
Upgrade - Rapid Lock™ Track Start	2610523
Upgrade - Handles	2610522



Dash Single Post - Square



Dash Dual Post - Round



SPECTRUM
AQUATICS®
A PLAYCORE Company

9

A Thursday, June 18, 2026 12:36:10 PM



DASH TO SPRINT UPGRADE KIT

Dash is designed to grow with your swim program. Engineered from the start with a clear upgrade path to the Sprint with Rapid Lock™, Dash can easily be transformed by adding the Rapid Lock™ track-start wedge and handholds. This allows facilities to invest in the starting block they need today with the flexibility to add advanced starting capabilities as their program grows.

- Complete Upgrade Kit allows you to easily upgrade Dash to the Sprint with Rapid Lock™
- Upgrade as your needs grow
- Customization available

Dash to Sprint with Rapid Lock™ Complete Upgrade Kit


Product	Part #
Complete Upgrade Kit	2610526
• Rapid Lock™ Track Start • Sprint Side Handles • Sprint Top Plate	



GRIZZLY STARTING BLOCK

The Spectrum Aquatics Grizzly Single Post Starting Block is built for strength, simplicity, and versatility. Constructed from high-quality stainless steel, its single-post design provides a clean, unobtrusive look while maintaining the durability Spectrum is known for.



- 23" x 25" single-piece LDPE platform with molded-in, non-slip surface; no exposed hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" LDPE side or rear access step with molded-in, non-slip surface
- Accommodates anchor setbacks of 18" to 30"
- Side step accommodates anchor setbacks of 18" to 30"
- Rear step accommodates anchor setbacks of 24" to 30"
- Backstroke handles with a versatile 18" H-bar



Single Post Grizzly

Product	Part #
Single Post Grizzly - Side Step	21654
Single Post Grizzly - Rear Step	21655-00
Single Post Anchor	21700-02
Single Post Starting Platform	
Transportation Cart	193404

Available in five standard colors:



GROWLER STARTING BLOCK

Crafted from high-quality stainless steel, its single-post construction provides strength and durability while maintaining a clean, modern look on the pool deck. Available with either side or rear step configurations, the Growler offers convenient swimmer access tailored to your facility's needs.



- Large 25" x 32" single-piece LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" access step with molded-in, non-slip surface. Available on the side or rear
- Accommodates anchor setbacks of 18" to 36"
- Side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with a versatile 18" H-bar



Single Post Growler

Product	Part #
Single Post Growler - Side Step	21653
Single Post Growler - Rear Step	21657
Single Post Anchor	21700-02
Single Post Starting Platform	
Transportation Cart	193404

Available in five standard colors:



QUICKSILVER STARTING BLOCK

The Quicksilver low-profile starting block features a single-set anchor design that utilizes innovative engineering technology. The exclusive locating slot design eliminates rotation, ensuring proper fit and alignment of the swim starting block. Constructed of low-density polyethylene material resistant to chemicals with UV inhibitors to resist discoloration, fading, and cracking.

- 23" x 25" LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- Horizontal backstroke bar
- Stainless steel construction
- Suggested setback of 20" – accommodates setbacks of 12" to 24"
- **Does NOT meet World Aquatics, USA Swimming, NCAA or NFHS regulations**



Single Post Quicksilver

Product	Part #
Single Post Quicksilver	57289
Single Post Anchor	21700-02
Single Post Starting Platform	
Transportation Cart	193404

Available in five standard colors:



23"x25" HDPE PLATFORM




BIGHORN STARTING BLOCK

The Spectrum Aquatics Bighorn Dual Post Starting Block is designed for maximum strength and performance, providing swimmers with a solid and stable platform for explosive starts. Constructed from heavy-duty stainless steel, the dual-post design ensures unmatched durability and rigidity, making it ideal for the demands of both competition and high-volume training.

Available in standard and Long Reach models, the Bighorn adapts to a wide variety of deck and gutter configurations, including facilities that require extended setback distances. Featuring a large, non-slip platform top for superior traction, along with customizable options such as side or rear steps and powder coating, the Bighorn combines rugged construction with versatility.



- 23" x 25" non-slip surface with no exposed bolts or hardware
- 20" molded-in, non-slip surface step tread
- Standard Bighorn accommodates anchor setbacks of 20" to 30"
- Long Reach model accommodates an anchor setback up to 40"
- Backstroke handle with versatile 18" U-bar



Dual Post Bighorn

Product	Part #
Dual Post Bighorn	21095-00
Dual Post Long Reach Bighorn	21115-00
6" Dual Post Anchor	24070-00
10" Dual Post Anchor	24071-00

Available in five standard colors:




COUGAR STARTING BLOCK

The Spectrum Aquatics Cougar Dual Post Starting Block is engineered for strength, stability, and versatility, making it a trusted choice for both competitive and training facilities. Built from heavy-duty stainless steel, its dual-post design provides exceptional rigidity and durability, ensuring reliable performance season after season.

Available with either side or rear step configurations, the Cougar easily adapts to your pool layout, providing swimmers with safe, convenient access to the platform. The spacious, non-slip top delivers superior traction and stability, giving athletes the confidence they need to maximize every start. Rugged yet refined, the Cougar combines durable construction with thoughtful design, making it a standout option for facilities seeking both performance and longevity.



- 25" x 32" non-slip surface with no exposed bolts or hardware
- 8" x 10" access step with molded-in, non-slip surface available in side or rear
- Side step accommodates anchor setbacks of 18" to 40"
- Rear step accommodates anchor setbacks of 30" to 40"
- Backstroke handle with versatile 18" U-bar



Dual Post Cougar


Product	Part #
Dual Post Cougar - Side Step	21135-00
Dual Post Cougar - Rear Step	21145-00
6" Dual Post Anchor	24070-00

Available in five standard colors:




STARTING BLOCK CUSTOMIZATIONS



- Powder coating is available for all Spectrum starting blocks
 - All RAL color options are available
 - Variety of finishes available: **shimmer, sparkle, gloss, metallic, clear**
- Logos and artwork are available for Sprint Top, Xcellerator®, Record Breaker, and Fusion
 - Placement on the top plate, wedge, and step




Standard Color Options:



Shown here:
Leaf Green with a Sparkle Finish







EXPANSION POST ANCHORING SYSTEM

Our patented and innovative Expansion Post Anchor is the perfect solution for updating your starting block without the hassle of construction.

- US Patent 10,035,034 B1
- Upgrade your blocks without construction on your deck!
- **Fits most existing starting block pre-drilled post holes**
- Not sold separately
- Available with Spectrum's Dual Post Round and Single Post Square Starting Blocks



HEX BAR SHOWING
THROUGH OPENING



STARTING BLOCK ANCHORS

Our patented anti-wobble anchor and locator pin design ensures precise alignment and superior stability.

- No tools required when inserting or removing the starting platform
- Machined bronze anchor body ensures extremely tight tolerances & offers superior corrosion resistance
- Locating slot design eliminates rotation and guarantees proper alignment of the block
- Includes stainless steel lid and removal tool
- Anchor will not warp or flex
- An optional anchor set tool is available
- Bulkhead customization available

Single Post Anchor

Product	Part #
Single Post Anchor	21700-02
Single Post Anchor, Square	193401
Bulkhead Anchor	42057
Anchor Set Tool	35033



Anchor - Single Post 2

Part Number 21700-02

Anchor Body

The anchor shall be fabricated from bronze and 300 series stainless steel. The anchor body shall be machined from bronze bar stock and shall be 3 1/2" (8.89cm) O. D. x 2.37" (6.02cm) I. D. Two (2) 7/16" (1.11cm) diameter slots shall be machined into the top surface of the anchor to serve as the starting platform-locating index. The bottom plate of the anchor shall be stainless steel and shall be bolted in place. A flat shall be machined on one side of the anchor body providing anti-rotation protection.

Plug


A stainless steel slip cap shall be provided. The welded portion of the cap shall be of the MIG type and applied using type 308-welding rod for corrosion resistance. The cap will fill the anchor opening when the starting platform is not in use. A stainless steel cap removal tool shall be provided.

Bonding

A bonding screw shall be provided. The bonding screw will be 18-8 stainless steel.

Warranty

Two year limited warranty.



SPECTRUM
AQUATICS®

A PLAYCORE Company

7100 Spectrum Lane Missoula, Montana 59808
800.791.8056 www.spectrumproducts.com

ENGINEERING DATA

PRODUCT:	ANCHOR - SP2 -	REVISION:	A
MODEL #:	21700-02		
MATERIAL:	BRONZE - STAINLESS STEEL		
FINISH #:	N/A		

NOTE:

⚠️ DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS

A Thursday, July 31, 2025 10:38:13 AM


STARTING BLOCK ANCHORS

Designed for use with dual post starting platforms.



- Fabricated of 304L stainless steel
- Welded fixture design for easy installation
- Set exactly 20" center
- Anchor will not warp or flex
- Comes with bonding lug, caps, and removal key

Dual Post Anchor


Product	Part #
6" Dual Post Anchor	24070-00
10" Dual Post Anchor	24071-00



6" Dual Post Anchor



10" Dual Post Anchor



BACKSTROKE START DEVICES





Backstroke starts demand confidence. Spectrum Aquatics' backstroke start devices give swimmers the solid traction they need to launch with power, minimizing the risk of slips on wet walls or touchpads. Choose from automatic-retraction or stationary models to suit your facility's needs and elevate every start.

- U.S. Patent No. 10,245,524
- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Easily adjustable and locks into place, allowing swimmers to select the desired location of the nonslip wedge along the pool wall
- Automatically retracts up and out of the water so as not to interfere with flip turns and touchpad interactions
- Compatible with nearly all block types and pool configurations
- Custom attachment options are also available

Backstroke Start Device

Product	Part #
Automatic Retraction Backstroke Start Device	143081

AUTOMATIC RETRACTION




BACKSTROKE START DEVICES

This Stationary Backstroke Start Wedge gives your athletes the edge they need to master powerful, race-ready backstroke starts with precision and confidence. Empowering swimmers to refine and perfect their backstroke takeoffs with greater power, accuracy, and consistency.

- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Same non-slip wedge and straps as our top-of-the-line Backstroke Start Device
- Can easily attach to nearly any existing starting block frame Includes stainless steel hardware to resist corrosion
- World Aquatics, USA Swimming and NCAA compliant, when installed correctly

Backstroke Start Device

Product	Part #
Stationary Backstroke Start Wedge	1710083



STARTING BLOCK COVERS

Starting Platform covers protect your investment by preventing unauthorized use of the platforms and shielding the platform surface from the elements when they are not use.

- Sturdy precision vacuum-formed ABS plastic har top or UV rated polyethylene material with draw cord soft top
- **Universal fit** covers all platforms up to 25" x 32" in size, with and without wedges
- Provide the block top with UV protection
- Hard top is stackable for easy storage

Backstroke Start Device Covers

Product	Part #
Starting Block Cover - Hard Top	153174
Starting Block Cover - Soft Top	26315



26315 - Soft Top



153174 - Hard Top



STARTING BLOCK MAINTENANCE

Regularly cleaning your swim starting blocks is essential to prolonging their lifespan and preventing rust. Regimented cleanings will also reduce incidents of stains and discoloration on the starting block surface. We have developed the Starting Block Maintenance Kit for non-powder coated stainless steel block frame maintenance.

Each kit includes:

- 32 oz Spectra Shield® - Stainless steel protectant to be applied after cleaning/passivation
- 22 oz Spectra Clean™ System 2 - Citric-based stainless steel cleaner and passivation solution
- Disposable rags to apply Spectra Clean™ and Spectra Shield®
- Use a scratch-less Scotchbrite pad for scrubbing stubborn deposits
- Nylon bristle brush for scrubbing grit tape surfaces
- 3M edge sealer to seal the edges of the grit tape and the adhesion of the repair grit
- Repair grit - Crushed silica media for traction surface

Starting Block Maintenance

Product	Part #
Starting Block Maintenance Kit	152155



Order the Starting Block Maintenance Kit on our website by scanning the QR code



The Starting Block Maintenance Kit is designed exclusively for NON-POWDER COATED stainless steel block frames.

Starting Platform Stainless Steel Frame Recommended Maintenance:

- Use Spectra Clean and a 3m scratch pad to remove any rust stains
- Dry with a clean, soft cloth
- After thoroughly cleaning the stainless steel frame, apply Spectra Shield and let it dry
- Apply WD-40 to the wedge or rail bracket as needed to maintain smooth movement.

Starting Platform Powder Coated Stainless Steel Frame Recommended Maintenance:

- Clean with non-abrasive soap and tap water; avoid harsh chemicals or disinfectants.
- Inspect regularly for scratches or chips.
- If rust is present, use a non-abrasive cleaner and contact us for touch-up options.
- After cleaning, apply car wax and buff to restore shine.
- Apply WD-40 to the wedge or rail bracket as needed to maintain smooth movement.

INSTANT ACCESS. ANYTIME. ANYWHERE.

Need answers? We're always just a click away.

Scan to Visit our Online Store:



Keep your stainless steel looking as flawless as the day it left our shop. Spectra-Clean™ is the trusted solution we count on to maintain and restore that signature shine. Ready to refresh your equipment? Shop now on our online store.

Scan to Contact Us:



Have a question? We're here to help. Reach out anytime using the Contact Us form on our website. Just select the team member you'd like to connect with and let us know how we can assist. We'll get back to you as soon as possible.

Scan to Visit our Support Page:



Have you explored our Support Page? It's your go-to resource for everything Spectrum Aquatics, packed with FAQs, how-to videos, tips, and downloadable guides to help you get the most out of your equipment.

Give us a call at 800.791.8056 during regular business hours, or email us anytime at info@spectrumproducts.com, we're here to help!

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



Building **communities** through **play** & **recreation**™

THE PLAYCORE AQUATIC BRANDS

The PlayCore aquatic brands work together as the ultimate resource for creating your entire aquatic experience. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities, including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After your installation is complete, we provide ongoing support for the lifetime of your product to ensure you get the most out of your recreational, commercial, municipal, or competitive facility.



fountain people™
A PLAYCORE Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



A PLAYCORE Company

7100 Spectrum Lane
Missoula, MT 59808
800.791.8056
spectrumproducts.com



7100 Spectrum Lane
Missoula, MT 59808
800.624.1235
altapoolcovers.com



A PLAYCORE Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
waterodyssey.com



A PLAYCORE Company

10601 Oak St NE
St. Petersburg, FL 33716
888.426.8511
aquaworxusa.com




1551 East 11th Street
Loveland, CO 80537
800.279.0111
coloradotime.com



A PLAYCORE Company

800.791.8056 | info@spectrumproducts.com
www.spectrumproducts.com

SALES TEAM



Western Region

Inside Sales Representative

Torie Madgwick:

torie.madgwick@spectrumproducts.com



Midwest/Canada/International

Sales/Inside Sales Supervisor

Rachel King:

rachel.king@spectrumproducts.com



Eastern Region

Inside Sales Representative

Shay Stone:

shay.stone@spectrumproducts.com



National Sales Manager

Jake Godinez:

jake.godinez@spectrumproducts.com



Vice President of Sales, Marketing

Nabil Khaled:

nabil.khaled@spectrumproducts.com



Field Sales/Mechanical Engineer

Noah Henderson:

noah.henderson@spectrumproducts.com



SPECTRUM AQUATICS® STANDARD TERMS & CONDITION OF SALES

Terms of Sale: Standard payment terms for customers that are registered businesses within the United States and Canada and meet the company's credit criteria are net 30 days from invoice date, unless otherwise agreed upon by Spectrum Aquatics®. If the customer fails to pay within payment terms, the company reserves the right to defer shipments until payment has been made and has the option to cancel all or any part of an unshipped order. A 1.5% per month finance charge may be imposed on all past due accounts. Customers within the United States or Canada, without a credit history, may purchase products and pay with check by mail or charge the purchase of products to a credit/debit card (Visa, MasterCard or American Express). Any checks or electronic debit authorization that are returned for any reason will be charged a \$30 non-sufficient fee.

To establish a credit account with Spectrum Aquatics®, the customer must be within the United States or Canada and must complete a credit application and thus, furnish such information as requested by Spectrum Aquatics®. Credit applications will not be accepted without a signature from an owner or appropriate company officer. Spectrum Aquatics® reserves the right in its absolute discretion to grant, refuse or discontinue any extensions of credit, or reduce or suspend any credit limit at any time.

Prices: Prices are F.O.B. factory and do not include freight charges. The possession of a price list or other pricing information does not constitute an offer or agreement to sell. Prices are subject to change without notice and are in US Dollars. Taxes, duties and other fees are the sole responsibility of the buyer. Prices shown do not include any federal, state, or local taxes and shall be billed as a separate item and paid by the Customer. Orders are accepted with the understanding that such taxes will be added, as required by law. Sales tax will be charged unless the customer has a valid sales tax resale or exemption certificate on file with Spectrum Aquatics®.

Price quotations for standard products are valid for 30-days. Price quotations for custom products and commercial projects are valid for 60-days. Price quotations for custom design or special items are subject to change predicated on the information provided by the sellers at the time of quotation, as opposed to the definitive information presented at the time of order entry, engineering or fabrication.

Customer Orders: Order placement requires a hard copy purchase order or signed copy of a quotation. If purchase order is verbal, with no hard copy (purchase order or signed quotation) confirmation, seller will not assume responsibility for errors related to, but not limited to, date of shipment, destination of shipment, items shipped or quantity of items shipped. Order must be shippable within 90-days of placement to hold original pricing. Purchase orders originating outside the United States and Canada require prepayment or an irrevocable letter of credit at time of order entry.

Order Cancellation: Orders for standard cataloged products, if canceled within 24 hours, will be assessed a \$200.00 cancellation fee. The seller must receive order cancellation in writing. Once, accepted, orders can only be canceled after 24 hours with the consent of Spectrum Aquatics® and on terms which will indemnify Spectrum Aquatics® against loss. Canceled orders after 24 hours will be subject to a restocking fee. Custom equipment is non-cancellable.

Freight Procedure & Claims: The transfer of ownership from Spectrum Aquatics® occurs once the load is signed over to the freight company (FOB factory). The customer is responsible for all freight related costs, even those that may have not been disclosed as necessary to obtain the product at the time the order is placed, these can include but are not limited to: lift gates, limited access location charges, and construction zone deliveries.

INSPECT FREIGHT IMMEDIATELY UPON DELIVERY. All damage that occurs during the transit is the responsibility of the freight company and therefore is the responsibility of the owner/purchaser to file freight damage claims directly to the carrier. It is the customer's responsibility to obtain the bill of lading and document what has been received. Per federal law, the bill of lading will be used for all disputes. All freight damage must be noted on the bill of lading. Damage to packaging and any suspected hidden damage should be noted on the bill of lading and the Customer must contact the freight carrier within three days of delivery.

Any packaging requirements other than the standards used by Spectrum Aquatics® will be invoiced as an extra charge.

Returns/Restocking Fee: Products may not be returned to Spectrum Aquatics® without prior approval. It is the responsibility of the customer to obtain a return materials authorization (RMA) number from the Spectrum Aquatics® parts and warranty department prior to returning materials. If items are returned without an RMA the freight will be refused and the customer will be responsible for all freight costs. The RMA number must be written on the outside of each package that is being returned. Spectrum Aquatics® will reject items returned without a legible RMA number. Returns must be sent with freight prepaid and are subject to a restocking charge of 25% of the purchase price. Items must be returned within 30 days of issuance of a RMA; if not returned within 30 days the RMA will be canceled. All freight costs associated with returns from the desired shipping point to Spectrum Aquatics® are the customer's responsibility. Materials that qualify for return must be returned within 90 days of invoice date. All materials returned must be in a new and unused condition to warrant any credit consideration.

Shortage of Goods or Damaged Goods: Claims for shortages must be made in writing to the Spectrum Aquatic's parts and warranty department within three days after delivery of goods. If notice is not received in writing within this time frame, Spectrum Aquatics® will conclusively presume that the goods were delivered in their entirety. Unless agreed upon otherwise in writing, Spectrum Aquatics® reserve the right to make partial shipments and to submit invoices for partial shipments. **Delay or Non-Delivery:** Spectrum Aquatics® is not liable and shall be indemnified for any delay in delivery or failure to deliver hereunder when delivery has been made by impractical by fire, flood, embargo, strike, differences with employees, accidents, acts of God, failure or inability to secure materials from usual sources of supply or any other circumstances beyond the control of Spectrum Aquatics®.

Buyer's Financial Condition: Spectrum Aquatics® reserves the right to refuse service, terminate accounts, cancel orders, modify any payment terms or require full or partial payment or adequate assurance of performance from the Customer, without liability to Spectrum Aquatics®. Should the customer experience a material adverse change in their financial condition or if reasonable grounds for insecurity arise with respect to the customer's performance of this agreement, then Spectrum Aquatics® reserves the right to modify payment terms include shortening the payment period, requiring advance payment, or requiring payment of cash on delivery. Spectrum Aquatics® reserves the right to cancel buyer's credit at any time for any reason, without notice. The foregoing remedies are in addition to Spectrum Aquatics® other rights and remedies under this agreement and under applicable law, including Section 2-609 of the Uniform Commercial Code.

Indemnification: Buyer agrees to indemnify, defend and hold harmless Spectrum Aquatics®, its directors, officers, employees, agents, successors and assigns from and against any and all damages, losses, expenses, costs (including without limitation reasonable attorney's and accountant's fees), claims, suits, actions, judgments or other liability asserted against or incurred by Spectrum Aquatics® arising out of the customer's breach of its obligations hereunder, customer's negligence or misconduct, or customer's misuse or misapplication of the products or service Items or damage to the products or service Items caused by the customer or its employees, agents or customers.

Note: Product descriptions may vary.

ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission Duraflex is a registered trademark of Duraflex International Corp., used with its permission Harmsco is a registered trademark of Harmsco, Inc., used with its permission Sta-Rite is a registered trademark of Sta-Rite Pool, LLC, used with its permission Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission

SPECTRUM AQUATICS® WARRANTY

TWO-YEAR LIMITED WARRANTY: PARTS THREE-YEAR LIMITED WARRANTY: STAINLESS
STEEL DECK EQUIPMENT AND AQUATIC LIFT FRAME

What is covered by this warranty? Spectrum Aquatics® warrants all products it manufactures to be free from defects in materials and factory workmanship to the original buyer. This warranty is contingent upon the proper installation, use, care and operation of the equipment for its intended purpose, and does not cover equipment that has been modified or has been subjected to physical abusive or environmental stresses. Spectrum Aquatics® agrees to repair or replace, at its sole discretion, any product that fails to perform as specified within the specified warranty period, unless otherwise noted. In cases where the warranty card is not returned to Spectrum Aquatics®, the beginning date for the warranty period will be the date that the pool lift was shipped from Spectrum. This warranty relates only to defects in materials and workmanship and does not include damage or failure resulting from other causes, including, but not limited to, acts of God, misuse or abuse, accident or negligence, fire, improper installation or ice damage. This warranty does not apply to fading of materials or to any corrosion of any metallic parts. Damage induced by the improper use of chemicals is not covered by this warranty. In the event that products are altered or repaired by anyone without the prior written approval of Spectrum Aquatics®, all warranties are voided.

What will Spectrum do related to the product covered by this warranty? Spectrum shall provide, F.O.B. the factory, new or reconditioned replacement product or parts (Spectrum's option). This warranty does not cover labor to remove or install equipment and parts.

What is not covered by this warranty? Damage or loss in transit as indicated by bill of lading, normal wear and tear, chemical damage, discoloration, misuse and damage or loss caused by neglect, abuse, vandalism, modification, improper installation, lack of proper maintenance (such as keeping products clean, lubricating battery contacts on lifts, etc.) or physical damage are not included in this warranty. See owner's manual for recommendations related to the use and care of the product.

Powder Coated Products: This warranty does not cover chipping, flaking, scratches or any other surface defect due to abuse, mishandling of product, or lack of maintenance and care. Due to the corrosive environments, this warranty does not cover surfaces damaged during handling or installation. Although powder coating on product is designed for long- term use, keeping products outside in the elements, inside a highly humid environment, excessive washing (including power washing) or improper maintenance may result in premature corrosion.

Parts: Components of products provided by other manufacturers are subject to the original equipment manufacturers (OEM) warranty. Examples include but not limited to batteries, actuators, control systems, valves, pumps, bearing, etc.

IMPORTANT: TO ENSURE SAFE OPERATION, USERS MUST COMPLY WITH THE PUBLISHED WEIGHT LIMITS ON SEVERAL PRODUCTS SUCH AS SLIDES, LIFTS, CHAIRS, STARTING PLATFORMS, STANDS AND LADDERS. REFER TO PRODUCT LITERATURE AND MANUALS FOR THESE LIMITATIONS.

Spectrum Aquatics® disclaims all liability for damage during transportation, for incidental, special or consequential damage of whatever nature, for damage due to handling, installation, or improper operation, or for damage caused by circumstances beyond Spectrum Products™ control; in no event shall recovery of any kind against Spectrum Products™ be greater in amount than the purchase price of the equipment sold by Spectrum Aquatics® that caused alleged damage. Spectrum Aquatics® makes no warranties either expressed or implied, including any warranty of merchantability or fitness for particular purpose, other than these stated. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long on implied warranty lasts, so the above exclusions may not apply to you. No representative has authority to change or modify this warranty in any respect.





MADE IN USA

SPECTRUM
AQUATICS®

A PLAYCORE Company

7100 SPECTRUM LANE - MISSOULA MT. - 59808

800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM