


SPECTRUM
AQUATICS®

A PLAYCORE Company



POOLSIDE SLIDES

ABOUT US

Since 1972, Spectrum Aquatics® has designed and manufactured high-quality custom rails, ADA lifts and commercial grade pool deck equipment. We are pleased to introduce an entirely new line of products to create the ultimate Aquatic Adventure Zone™ at your facility, including: poolside slides, climbing walls, zip lines, basketball equipment, and ninja courses. Spectrum has innovative products, skilled employees, knowledgeable engineers and an excellent customer service and sales staff.

Spectrum Aquatics® provides exceptional support to customers. We take pride in offering you top notch service and assisting you in finding the best solutions to meet your individual requirements. Spectrum Aquatics® strives to consistently exceed expectations and be your total solution provider. From inquiry to installation, Spectrum Aquatics® is here for you and the aquatics community.

Spectrum is highly regarded within the pool and spa industry and is acknowledged for:

- Quality products with competitive pricing
- Expedient delivery
- Leadership in innovative products
- Friendly and caring customer service
- Superior engineering and field sales support

Contact Us:

Sales

Direct: (800) 791-8056

Email: info@spectrumproducts.com

Parts and Warranty

Direct: (406) 532-6321

Email: service@spectrumproducts.com

PHONE 800.791.8056 | FAX 800.791.8057 | 7100 SPECTRUM LANE, MISSOULA, MONTANA 59808

TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL
R E P R E S E N T A T I V E O R V I S I T O U R W E B S I T E A T: WWW.SPECTRUMPRODUCTS.COM

Note: Product descriptions may vary

ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission

Duraflex is a registered trademark of Duraflex International Corp., used with its permission

Harmsco is a registered trademark of Harmsco, Inc., used with its permission

Sta-Rite is a registered trademark of Sta-Rite Pool, LLC, used with its permission

Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission.

POOLSIDE SLIDES


Make a splash with high quality, commercial grade poolside slides - fun for all ages! Spectrum Aquatics' poolside slides are available in a wide array of configurations and colors. Safety and rider experience are our top priority. These slides boast slip-resistant steps and decking, plus a variety of twists and turns to accommodate all facilities. Colorful and highly visible, poolside slides will give your pool a fresh look that will last for years to come.

Features & Benefits:

- Powder-coated steel frame
- Custom colors available to match any pool environment
- Non-slip surface on steps and deck
- Bell and socket flumes - no leaks
- Modular to fit all deck configurations
- Buildable for future flume additions



STANDARD COLOR OPTIONS:



SCAN TO SEE ALL
OUR POOLSIDE
SLIDES AT
SPECTRUMPRODUCTS.COM

POOLSIDE SLIDES

SINGLE FLUME




Single flume triangle deck poolside slide features a single 360 ° enclosed slide flume, a triangle deck, and center steps with rails. The slide flume is fabricated from rotationally molded UV stabilized color impregnated LDPE. Custom colors are available.

Features:

- Platform height is 8'
- Flume length is 11.5'
- Deck width of slide is 13'
- Slip-resistant platform for safety
- 260 lb weight limit
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside slide structures are made to order

1810371 - SINGLE FLUME 360 ° TRIANGLE DECK



Single flume triangle deck poolside slide features a single 90 ° enclosed slide flume, a triangle deck, and center steps with rails. The slide flume is fabricated from rotationally molded UV stabilized color impregnated LDPE. Custom colors are available.

Features:

- Platform height is 8'
- Flume length is 14.5'
- Deck width of slide is 19.75'
- Slip-resistant platform for safety
- 260 lb weight limit
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside slide structures are made to order

1810547 - SINGLE FLUME 90 ° TRIANGLE DECK

POOLSIDE SLIDES

DOUBLE FLUME

Features:

- Flumes are fabricated from rotationally molded UV stabilized color impregnated LDPE
- Custom colors are available
- Slip-resistant platform for safety
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside structures are made to order



Double flume half hex deck poolside slide features two 90° enclosed slide flumes, a half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 35.75'
- 260 lb weight limit
- Slide curve: twist

1810555 - DOUBLE FLUME-90°/90° - HALF HEX DECK



Double flume half hex deck poolside slide features one 360° and one 90° enclosed slide flume, a half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 24' 2"
- 260 lb weight limit

1810549 - DOUBLE FLUME-90°/360° - HALF HEX DECK



Double flume triangle deck poolside slide features one 360° and one 90° enclosed slide flume, a triangle deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 22.5'
- 260 lb weight limit

1810548 - DOUBLE FLUME-90°/360° - TRIANGLE DECK

POOLSIDE SLIDES

DOUBLE FLUME



Double flume half hex deck poolside slide features two 360 ° enclosed slide flumes, half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 15'
- 260 lb weight limit

1810373 - DOUBLE FLUME- 360°/360° - HALF HEX DECK



Double flume dual triangle deck poolside slide features one 180 °and one 540° enclosed slide flume, two triangle deluxe decks, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 20.75'
- 260 lb weight limit

1810557 - DOUBLE FLUME- 180°/540° - DUAL TRIANGLE DECK

POOLSIDE SLIDES

QUAD FLUME



Quad flume half hex deck poolside slide features two 90 °and two 360° enclosed slide flumes, half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 33.75'
- 260 lb weight limit

1810552 - QUAD FLUME- 360°/90° - HALF HEX DECK



Quad flume half hex deck poolside slide features four enclosed slide flumes with varying degrees of turns, half hex deck, and center steps with rails.


Features:

- Platform height is 8'
- Deck width of flumes is 47'
- 260 lb weight limit

1810556 - QUAD FLUME- SUPREME HALF HEX DECK

SINGLE FLUME POOLSIDE SLIDE

90° TRIANGLE DECK



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS





ENGINEERING DATA

PRODUCT:	SINGLE FLUME-90-TRI DECK			
MODEL #:	1810547	CATALOG #:	1810547	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

SINGLE FLUME POOLSIDE SLIDE

360° TRIANGLE DECK



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS




ENGINEERING DATA

PRODUCT:	SINGLE FLUME-360-TRI DECK			
MODEL #:	1810371	CATALOG #:	1810371	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

800.791.8056

DOUBLE FLUME POOLSIDE SLIDE

90° / 90° HALF HEXAGON DECK



NOTE:

1. DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS




ENGINEERING DATA

PRODUCT:	DBL FLM-90/90-HEX DECK			
MODEL #:	1810555	CATALOG #:	1810555	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

DOUBLE FLUME POOLSIDE SLIDE

360° / 360° HALF HEXAGON DECK



NOTE:

1. DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS





ENGINEERING DATA

PRODUCT:	DBL FLM-360/360-HEX DECK			
MODEL #:	1810373	CATALOG #:	1810373	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

800.791.8056

DOUBLE FLUME POOLSIDE SLIDE

180° / 540° DUAL TRIANGLE DECK



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS




ENGINEERING DATA

PRODUCT:	DBL FLUME-180/540-DL TRI DLX			
MODEL #:	1810557	CATALOG #:	1810557	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

DOUBLE FLUME POOLSIDE SLIDE

90° / 360° TRIANGLE DECK



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS




ENGINEERING DATA

PRODUCT:	DBL FLUME-360/90-TRI DECK			
MODEL #:	1810548	CATALOG #:	1810548	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

800.791.8056

QUAD FLUME POOLSIDE SLIDE

360° / 90° HALF HEXAGON DECK



NOTE:

⚠ DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS




ENGINEERING DATA

PRODUCT:	QUAD FLUME-360/90-HEX DECK			
MODEL #:	1810552	CATALOG #:	1810552	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

QUAD FLUME POOLSIDE SLIDE

SUPREME HALF HEXAGON DECK



NOTE:

1 DIMENSIONS VARY WITH SPECIFIC APPLICATIONS. SPECIFICATIONS ARE NOMINAL AND ARE SUBJECT TO CHANGE. PLEASE CONTACT SPECTRUM AQUATICS FOR CUSTOM APPLICATIONS



ENGINEERING DATA

PRODUCT:	QUAD FLUME-SUPREME-HEX DECK			
MODEL #:	1810556	CATALOG #:	1810556	REVISION: A
MATERIAL:	CARBON STEEL			
FINISH #:	POWDER COAT			

800.791.8056

POOLSIDE SLIDES

FAQ

Q. What are the flow rates?

A. The flumes are supplied by 3/8" tubing and only require a small flow to minimally wet the flume.

Q. How many gallons per minute can the supply tubing support?

A. The water supply tubing can handle approximately 5 gpm of flow.

Q. What type of warranty is available when the poolside slide is installed by an approved installer? How does one become an authorized installer and what are the warranty terms?

A. When installed by a factory approved installer, Spectrum's poolside slide warranty will apply. To request a copy of the warranty, please contact the Spectrum sales team. In order to become a certified installer, one must complete several installations alongside an approved installer to learn the critical portions to become certified.

Q. Is the steel powder-coated?

A. Yes, all of our models come powder-coated. This comes standard on all poolside slides.

Q. Is a certification required for the poolside slide after the installation and before use?

A. Typically, inspections are completed by the local building or health inspector. Spectrum's only requirement is that the installation is completed by an approved installer.

Q. Is safety signage included in the purchase of a poolside slide?

A. Yes, safety signage with baseline usage recommendations is provided.

Q. What is the pool depth requirement?

A. Our baseline recommendation is 3' 6", however please defer any depth requirements set forth by state or local code legislation.

Q. Are the poolside slides manufactured in the U.S.?

A. Yes, all portions are manufactured inside of the PlayCore family of brands in the United States.

Q. Are there other color options available outside of the standard options?

A. Yes, custom color options are available at an additional cost.

Q. Are there any accessories available?

A. Yes, accessories are available at an additional cost, the palm tree toppers shown in some of our photos is one of them. Please contact us to discuss options available to you.

POOLSIDE SLIDES

FAQ

Q. Do the support columns and stairs require thickened concrete slabs?

A. Not in our experience. These slides have been in the market for about 12 years and have been successfully retrofit onto many typical existing slabs. For new construction, the engineer may make a requirement but that would be at their discretion.

Q. How do you regulate usage with no guard at the top?

A. Several models to provide room for a guard at the top, but since they are not amusement slides they typically don't require stringent levels of monitoring.

Q. The quad flume slide half hex deck terminations look too close together.

A. That may be the case in some areas. The rules for termination separation can vary greatly. We have seen exemptions for situations where only a single rider is using the slide at a time.

Q. What are the support columns made of?

A. The slide platforms and staircases are supported by 5" x 0.120" ATSM A500 steel. All columns are thoroughly blasted, cleaned, and coated with a super-durable TGIC coating to inhibit corrosion. All columns are supplied with the appropriate fittings to securely close any open ends.

Q. What are the slide platforms made of?

A. The slide platforms are constructed of 12ga ASTM A1011 steel sheet. All platforms are thoroughly blasted, cleaned, and encapsulated in a dip applied Plastisol coating to inhibit corrosion. The platforms feature a perforated pattern to provide adequate traction and drainage.

Q. What are the slide flumes made of?

A. Slide flume sections and tower panels are fabricated from rotationally molded UV stabilized and color impregnated LDPE. Flume section interfaces are ball and socket construction to ensure water-tight connections.

Q. How are the flumes supported?

A. Slide flumes are adequately supported by saddle style support posts to ensure safe and consistent operation. Flume supports are constructed from 1.9" x 0.145" ASTM A500 steel posts with aluminum support saddles and adjustable fittings.

Q. What do you use for the hardware?

A. All fasteners are constructed of 300 series stainless steel. All exposed fastener threads are covered with appropriate caps or hardware.

Q. Can I create a custom poolside slide?

A. Yes, custom slides are available.

POOLSIDE SLIDE WARRANTY

Spectrum Aquatics warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once Spectrum has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by Spectrum good construction practices and has been subjected only to normal use and exposure.

- 2-Year Limited Warranty on plastics
- 2-Year Limited Warranty on steel structure
- 2-Year Limited Warranty on decks
- 1-Year limited Warranty on hardware
- 1-Year Limited warranty on workmanship

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, reactions, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, exposure to salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to “acts of God” such as hail, flooding, lightning, tornadoes, sandstorms, shifts of terrain, earthquakes, mudslides, and windstorms.

In the unlikely event of failure, Spectrum Aquatics reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). Spectrum Aquatics has the option to repair or replace any defect in materials. The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

Spectrum Aquatics excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will Spectrum Aquatics be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify Spectrum Aquatics with original Sales Order Number issued from Spectrum Aquatics to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design. This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

This warranty is valid only if the structures are installed in conformity with instructions provided by Spectrum Aquatics using approved Spectrum Aquatics parts. Spectrum Aquatics will deliver the repaired or replacement part or parts to the site free of charge but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.

To make a warranty claim, contact:

Spectrum Aquatics® 7100 Spectrum Lane Missoula, MT 59808 info@spectrumproducts.com 800.791.8056

Spectrum Aquatics® disclaims all liability for damage during transportation, for incidental, special or consequential damage of whatever nature, for damage due to handling, installation, or improper operation, or for damage caused by circumstances beyond Spectrum Products™ control; in no event shall recovery of any kind against Spectrum Products™ be greater in amount than the purchase price of the equipment sold by Spectrum Aquatics® that caused alleged damage. Spectrum Aquatics® makes no warranties either expressed or implied, including any warranty of merchantability or fitness for particular purpose, other than these stated. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long on implied warranty lasts, so the above exclusions may not apply to you. No representative has authority to change or modify this warranty in any respect.

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



THE PLAYCORE AQUATICS GROUP

The PlayCore Aquatics Group is the ultimate resource for creating all of your aquatic experiences. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities for your facility including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After the completion of your installation, we provide ongoing support for the lifetime of your product to ensure that you get the most out of your recreational, commercial, municipal, or competitive facility.



4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



7100 Spectrum Lane
Missoula, MT 59808
800.791.8056
spectrumproducts.com



7100 Spectrum Lane
Missoula, Montana 59808
800.624.1235
altapoolcovers.com



4600 Hwy 123
San Marcos, TX 78666
512.392.1155
waterodyssey.com



10601 Oak St NE
St. Petersburg, FL 33716
888.426.8511
aquaworxusa.com



1551 East 11th Street
Loveland, CO 80537
800.279.0111
coloradotime.com



7100 SPECTRUM LANE – MISSOULA MT. – 59808

800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM