

Marshall Guard Chair



SPECTRUM
AQUATICS®

A **PLAYCORE** Company

7100 Spectrum Lane | Missoula MT 59808 | 800.791.8056 | www.spectrumproducts.com

READ OWNERS MANUAL IN ENTIRETY BEFORE BEGINNING INSTALLATION.

You have purchased a Spectrum Products Marshall Lifeguard Chair. Providing the unit is installed correctly and properly maintained, it will furnish you with many years of trouble free use. It is important to read this entire manual prior to beginning assembly or operation.

Shipping Information:

Each Guard Chair will arrive partially assembled. Before accepting the delivery from the carrier, inspect for visible damage and match the contents with those listed below. Spectrum is not responsible for lost or damaged freight.

The box will contain all structural components and hardware. Use Components and Hardware Figures below as a reference to identify each item needed for assembly.

Assembly Instructions:

Read the entire manual before assembly to familiarize yourself with the product. Actual assembly of the chair should take approximately ½ hour to an hour depending upon your experience. Having two persons available to help with the assembly is helpful but not necessary. All assembly is done with Split Tee's.

Tools Required:

3/8" Wrench
5/8" Wrench
9/16" Wrench
5/32" Allen Wrench

Refer to the drawings for ease of assembly. Keep all hardware hand tight until assembly is complete.

Step 1. Locate the Rear Legs (#4) and the Cross Brace (#5). Attach the Cross Brace with Split Tee's.

Step 2. Locate and attach the Lower Horizontal Supports (#6) to the Rear Legs (#4).

Step 3. Locate the Front Legs (#1). Orient them as shown in the picture. Secure them to the Rear Legs as shown in Figure 1.

Step 4. Install the Step Treads using the Step Hardware supplied. You can now stand the unit up on the deck.




Figure 1

Step 5. Attach the Seat to the Seat Support using the 1/4" Hardware supplied

Step 6. Attach the Seat Support to the top of the Front Ladder Supports.

Step 7. Finish the assembly by tightening all Hardware.




Figure 2

Cleaning, Care and Maintenance:

Despite high resistance to corrosion, the 300-series stainless steel used in Spectrum products can be compromised in several ways. On rare occasions, Iron-based rust can occur. This type of corrosion can happen by encountering Halogen Salts (Chlorine and Bromine). Surface contamination and the formation of deposits may also drastically reduce the life of the product. High chemical concentration, warm, high humidity atmospheres in/around swimming pools create more aggressive existing conditions for steel components. Environments such as these catalyze the corrosion, thus increasing the need for upkeep. Our best advice for upkeep is simply “clean the metal when it is dirty to restore its original appearance”. The upkeep timeline could range from as often as once a day to as little as four times a year. Provided that cleaning schedules are carried out regularly, high performance and long life of your product will never be a worry. The cost and frequency to maintain the appearance of stainless steel is generally less in comparison to other materials and often offsets the higher initial costs associated with stainless steel products.

Spectrum Products® Cleaning Kit:

Periodic cleaning with Spectra-Clean™ System 1, Part Number 202050-00, is recommended for stainless steel used in aquatic facilities. Similarly, application of Spectra-Shield™, Part Number 57373 is recommended semi-annually to annually to protect from future discoloration and corrosion.

For any questions, comments, or concerns, please contact Spectrum Aquatics customer support at:

[800.791.8056](tel:800.791.8056)

7100 Spectrum Lane
Missoula, Montana 59808
USA

Thank you!